SDMS US EPA REGION V -1

SOME IMAGES WITHIN THIS DOCUMENT MAY BE ILLEGIBLE DUE TO BAD SOURCE DOCUMENTS.

TECHNICAL MEMORANDUM # M-2

ANALYSIS OF COMMON INORGANIC ANIONS IN SURFACE AND GROUND WATER

AND

AMBIENT AIR QUALITY MONITORING FOR LEAD AND TSP

JOHNS-MANVILLE DISPOSAL AREA WAUKEGAN, ILLINOIS

SEPTEMBER, 1985



KUMAR MALHOTRA & ASSOCIATES, INC. ENGINEERS • CONSULTANTS • PLANNERS Grand Rapids, Michigan/Monroe, Wisconsin

TECHNICAL MEMORANDUM # M-2

ANALYSIS OF COMMON INORGANIC ANIONS IN SURFACE AND GROUND WATER

AND

AMBIENT AIR QUALITY MONITORING FOR LEAD AND TSP

JOHNS-MANVILLE DISPOSAL AREA WAUKEGAN, ILLINOIS

SEPTEMBER, 1985



3000 East Belt Line N.E. Grand Rapids, Michigan 49505 Telephone (616) 361-5092

September 10, 1985

Mr. Rodney Gaither
Project Coordinator
U.S. Environmental Protection Agency
Region V
230 S Dearborn Street
Chicago, Illinois 60504

Re: Johns-Manville Waukegan Disposal Area RI/FS

Dear Mr. Gaither:

Enclosed for your review is a copy of the report prepared for Johns-Manville outlining the details of the studies of common inorganic anions in surface and ground water and lead in the ambient air.

These studies were conducted as outlined in KMA's June 24, 1985 (Revised July 3, 1985) letter. These studies show that the common inorganic anion concentrations in the ground and surface waters, in the vicinity of the disposal area are less than the drinking water quality standards and the ground water movement direction indicated by the observed inorganic anion concentrations is generally northward and then eastward to Lake Michigan.

The observed lead concentrations in the air in the vicinity of the disposal area are at least one order of magnitude smaller than the National Ambient Air Quality Standard of 1.5 ug/m^3 . Also the observed Total Suspended Particulates (TSP) values in the air in the vicinity of the disposal area are less than the National Ambient Air Quality Standard value of 260 ug/m^3 .

I hope this information will be of further assistance to you in your "Final RI Report" review. Please feel free to contact me if you have questions on any of the information included in this technical memorandum.

Sincerely yours,

S. K. Malhotra, Ph.D., P.E.

funalholia

cc: James H. Whipple, P.E.

SKM:sa

TABLE OF CONTENTS

		Page
1.0	INTRODUCTION	1
2.0	EVALUATION OF COMMON INORGANIC ANIONS IN SURFACE	
	AND GROUND WATER	2
	2.1 Objectives	2
	2.2 Surface and ground water sampling	2
	2.3 Estimated direction of ground water movement	
	using anion data	4
	2.4 Discussion of results	8
3.0	AMBIENT AIR QUALITY MONITORING	12
	3.1 Objectives	12
	3.2 Air sampling and analysis	12
	3.2.1 Executive Summary	12
	3.2.2 Discussion of results and risk assessment	14
4.0	CLAYTON ENVIRONMENTAL CONSULTANTS AMBIENT AIR QUALITY	
	MONITORING REPORT	

LIST OF TABLES AND FIGURES

Table	<u>es</u>	Page
	Table M-2-1	
	Summary of field measurements of ground and surface waters	5
	Table M-2 -2	
. •	Common inorganic anions in ground and surface waters (April, 1985)	6
\smile	Table M-2-3	
	Common inorganic anions in ground and surface waters (July, 1985)	7
Figu	res	•
	Figure M-2-1	
	Monitoring well/surface water sampling location map	3
	Figure M-2-2	
	Iso-concentration contour map (Specific Conductance) July, 1985	9
	Figure M-2-3	
	Iso-concentration contour map (Bicarbonate-alkalinity) July, 1985	10
E	Figure M-2-4	
	Iso-thermal contour map (July, 1985)	11

APPENDICES

PAGE

APPENDIX M-2-A

Scope of additional site investigation in response to

draft RI Report Review Comments

A-1 to A-4

APPENDIX M-2-B

. Common inorganic anions in ground and
surface waters B-1 to B-3

. April 20, 1973 Ground water sample analysis
in the vicinity of Johns-Manville Disposal
Area

APPENDIX M-2-C

Related air quality monitoring data for lead and TSP from IEPA C-

C-1 to C-8

B-4

1.0 INTRODUCTION

The monitoring of ambient air for lead, and of surface and ground water in the vicinity of the disposal area for common inorganic anions, were undertaken in response to some of the USEPA review comments on the draft RI report. A letter dated July 3, 1985 to Mr. Rodney Gaither of USEPA included responses to draft RI report review comments and an outline of the inorganic anion and lead evaluations. A copy of this letter outlining the scope of these evaluations is presented in Appendix M-2-A and the details of these evaluations along with a summary of the results are presented in this technical memorandum.

2.0 EVALUATION OF COMMON INORGANIC ANIONS IN SURFACE AND GROUNDWATER
This section presents details of common inorganic anion evaluations.

2.1 Objective:


The following are objectives of this study:

- To obtain more data on the inorganic anions to judge the drinking water quality of the surface and ground water in the vicinity of the disposal area.
- . To obtain additional information on the groundwater movement in the vicinity of the disposal area to supplement information presented in the RI report which was obtained through the use of ground water temperature and elevation data.

2.2 Surface and Ground Water Sampling and Analysis:

Groundwater samples were collected from the existing five monitoring wells constructed for the remedial investigations. In addition, surface water samples were collected from Lake Michigan and the industrial canal which receives the bulk of the recycle water from the process water settling basins located on the disposal area. The ground water monitoring wells and surface water sampling locations are shown in figure M-2-1. These were as follows:

- Monitoring wells # 1 thru 5 (samples 1 thru 5)
- Lake Michigan, using Waukegan city water intake (City Raw Tap or Waukegan Plant intake)
- Industrial Canal* near the head end of the canal (Industrial Canal)
- Lake Michigan Shore, east of MW #4 (east of well #4 or N-Lake)
- Lake Michigan shore, east of monitoring wells #2 (East of well #2 or C-Lake)
- Lake Michigan shore, north of Commonwealth Edison discharge
 (North of Commonwealth Edison discharge or S-Lake)



analysis during second set of sampling only.

Two sets of samples were used. One set was the duplicate samples collected on April 29 and April 30, 1985. These samples were stored at room temperature until their analysis in the last week of June, 1985. A second set of samples was collected on July 31, 1985. These were preserved and delivered for common inorganic anion analysis. All samples were analyzed by Prein & Newhof Laboratory, Grand Rapids, Michigan using the USEPA approved procedures. Only monitoring well water elevation data was obtained during the first set of sampling. However, during the second set of sampling the following field data was collected:

- . Monitoring well water elevation
- Field pH, specific conductance and temperature of surface and monitoring well samples.

The field data for the two sets of sampling is summarized in Table M-2-1.

All water samples collected were analyzed for pH, specific conductance, chlorides, sulfates, nitrate-nitrogen, total-alkalinity, bicarbonate-alkalinity and carbonate-alkalinity. The results obtained are presented in Tables M-2-2 and M-2-3 and Appendix M-2-B.

2.3 <u>Estimated Directions of Ground Water Movement Using Inorganic</u> <u>Anion and Field Temperature Data</u>

Data for specific conductance, and biocarbonate alkalinity was selected as representative of common inorganic anions for obtaining ground water iso-concentration lines (contours). Since field specific conductance and laboratory conductance values are consistent with each other, laboratory specific conductance data was

TABLE M-2-1 SUMMARY OF FIELD MEASUREMENTS OF GROUND AND SURFACE WATERS

(JOHNS-MANVILLE DISPOSAL AREA - APRIL 29 & 30, 1985 AND JULY 31, 1985)

	Static Water Elevation		ILY, 1985)		
Sample Location	(Ft above mean sea level (April, 1985)	Static Water Elevation (Ft above mean sea level)	рН	Specific Conductance umhos/cm	Temperature oC
M well #1	585.11	584.72	7.30	972	17.8
#2	583.21	584.11	7.20	880	15.7
#3	583.31	584.30	7.10	612	16.0
#4	583.48	583.69	7.40	585	14.6
#5	583.49	583.56	6.82	810	15.9
City Raw Tap			7.07	241	15.7
Industrial Cana	1		7.75	525	22.1
C-Lake (East of	M-W #2)		7.20	260	19.8
N-Lake (East of	M-W #4)		7.80	253	20.3
S-Lake (SE of M	-W #2) 		8.29	250	19.5

TABLE M-2-2 COMMON INORGANIC ANIONS IN GROUND AND SURFACE WATERS

(JOHNS-MANVILLE SAMPLES COLLECTED 4/29 & 30, 1985 AND RECEIVED FOR ANALYSIS ON 6/24/1985)

Sample Location	Specific Conductance umhos/cm	Chloride mg/L	Sulfate mg/L	Nitrate mg/L as N	Total Alka- linity,mg/L as Ca CO ₃	Bicarbonate mg/L as HCO ³ -	Carbonate mg/L as CO ³ =
1.	1,330	116	113	2.26	591	555	0
2.	1,030	95	2	0.78	470	297	0
3.	700	75	39	0.87	233	142	0
4.	640	75	37	0.77	197	120	0
4 A	610	69	38	0.47	166	101	0
5.	950	147	25	3.89	327	199	0
Water Plant Intake	290	11	21	0.59	134	82	0
East of Well Lake Shore,	#2 300	11	22	0.16	112	68	0
East of Well	#4, 303	12	23	0.39	139	85	0
50' N of Comm Edison Discha		11	23	0.36	134	82	0

TABLE M-2-3 COMMON INORGANIC ANIONS IN GROUND AND SURFACE WATERS (JOHNS-MANVILLE SAMPLES RECEIVED 7/31/85)

Sample Location	Specific Conductance umhos/cm	рН	Chloride mg/L	Sulfate mg/L	Nitrate mg/L as N	Total Alka- linity,mg/L as Ca CO ₃	Bicarbonate mg/L as HCO ³ -	Carbonate mg/L as CO ³
1.	1,350	7.3	98	15	0.65	555	339	0
2.	1,210	7.1	82	2	0.01	587	297	0
3.	825	7.2	74	30	0.17	239	146	0
4.	825	7.5	76	31	0.01	194	118	0
5.	1,140	6.8	98	6	0.01	361	220	0
City Raw Tap	363	7.7	18	24	0.12	117	71	0
IndCanal	725	8.2	66	146	0.01	113	69	0
C. Lake	360	7.9	9	24	0.13	113	69	0
N. Lake	360	7.9	9	26	0.09	113	69	0
S. Lake	350	7.7	9	24	0.11	113	69	0

NOTE: Samples 1 thru 5 represent Monitoring Wells # 1 thru 5 respectively.

C - Central Shore Line, East of Monitoring Well #2
N - Northern Shore Line, East of Monitoring Well #4
S - Southern Shore Line, Southeast of Monitoring Well #2 or North of Commonwealth Edison Discharge


selected for preparing ground water iso-concentration contours. Since April, 1985 sample analysis data and July, 1985 analysis data on common inorganic anions are consistent with each other, data from the most recent sampling (July, 1985) was selected for iso-concentration maps presented in Figures M-2-2 and M-2-3. In addition, field temperature data was used to prepare map of iso-thermal lines (contours) presented in Figure M-2-4. These maps show that the ground water is moving generally northward and then eastward to Lake Michigan


2.4 Discussion of Results


The data from the two sets of samples show good consistency among the values for different inorganic anions and show that the ground and surface waters in the vicinity of the disposal area meet the drinking water quality standards. In addition, the observed concentrations of chlorides, nitrate-nitrogen and total-alkalinity in the ground water are in the same range as observed in a well sample on April 20, 1973 by Illinois State Water Survey.

This well was located Southwest of Commonwealth Edison power plant property and a copy of the analysis of water sample from this well is enclosed in Appendix M-2-B. This comparison further shows that the disposal area is not having any adverse impact on the common inorganic anion quality of the ground water.

The ground water movement indicated by the iso-concentration contour maps of common inorganic anions and iso-thermal contour map of field ground water temperatures is generally northward and then eastward to Lake Michigan. These findings thus confirm the general ground water movement pattern presented in the RI report obtained from the use of ground water elevation and temperature data.







3. AMBIENT AIR QUALITY MONITORING

This section presents details of ambient air quality monitoring for lead and total suspended particulates (TSP) in the vicinity of the disposal area.

3.1 Objectives:

The following are objectives of this study:

- To obtain lead levels in the ambient air in the vicinity of the disposal area to assess whether lead is released from the disposal area to the atmosphere and whether any potential risk to human health and environment exists due to exposure through air.
- To ascertain if the TSP levels in the vicinity of the disposal area are within the National Ambient Air Quality Standards (NAAQS)

3.2 Air Sampling and Analysis

Air sampling and analysis was conducted by Clayton

Environmental Consultants Inc. of Southfield, Michigan. A

report containing the details of sampling and analysis

procedures, observed results of on-site and off-site air

samples and quality assurance analysis was prepared in August,

1985. An executive summary of this study and discussion of the

results with respect to study objectives are presented in this

section. The detailed report is presented in the following

section. (Section 4.0).

3.2.1 Executive Summary

Air was monitored at seven on-site and three off-site locations on three different days during the first week of August,

1985. Each test run was generally for a period of 24 + 1 hours

using high volume samplers and standard 8" x 10" filters.

During some test runs some of the locations were sampled for less than 24-hour periods due to unanticipated equipment/mechanical failures. A test run was repeated if there was a precipitation of 0.10 inches or greater during the 24-hour test run. Since leaded gasoline was used in the portable generators used to operate air samplers, one of the off-site locations was chosen in a secluded wooded area located on the northwest corner of Johns-Manville property. This sampler was intended to serve as "Control" to account for the lead contribution, if any, to the samples from locations where leaded gasoline generators were used.

The filters were analysed for total suspended particulates (TSP) and lead, using USEPA recommended procedures. Field and laboratory blank filters as well as spike recovery analysis were included for quality control.

The observed values for lead were generally very low and therefore observed values from samplers operated by leaded gasoline generators were not adjusted based on the "Control" sampler values.

All on-site observed values were less than 0.08 ug/m^3 . The highest observed value of 0.107 ug/m^3 of lead was at an offsite location. This value is one order of magnitude smaller than the National Ambient Air Quality Standard (NAAQS) of 1.5 ug/m^3 .

The observed TSP values ranged between 7.2 ug/m^3 and 104.0 ug/m^3 . The highest value was observed at Location #1.

All TSP values were less than 24-hour maximum values of 260 ug/m³ (Primary NAAQS), and 150 ug/m³ (Secondary NAAQS). All TSP values, except at monitoring location number 1, were below the NAAQS Annual Geometric Mean Standard of 75 ug/m³ (Primary) and 60 ug/m³ (Secondary). Air sampler at location number 1 was about 12 feet from the unpaved road and is likely showing effects of road dust.

3.2.2 Discussion of Results and Risk Assessment

Lead: Division of air pollution control, Illinois
Environmental Protection Agency (IEPA) was contacted to obtain background data. The most recent available data on lead in ambient air in Waukegan and it vicinity was collected in 1980. These values varied between 0.13 and 0.35 ug/m³ and are presented in Appendix M-2-C. Although no data was collected on lead in Lake County in 1984, extensive amount of lead data was collected from the adjoining Cook County. This data is presented in Appendix M-2-C. The annual mean lead values in Cook County varied between 0.12 ug/m³ to 0.52 ug/m³ and the majority of the observed lead values were between 0.20 to 0.30 ug/m³.

All of the observed lead values in on-site samples from Johns-Manville disposal area were less than 0.08 ug/m³. These are significantly lower than those observed by Division of Air Pollultion Control, Illinois EPA in the residential and commercial areas of Lake and Cook Counties. Therefore the Johns-Manville disposal area does not appear to be releasing lead to the atmosphere and hence does not pose a threat to the human health or environment in the vicinity of

the disposal area.

TSP:

The observed TSP values from the two monitoring stations in the Waukegan area, obtained during 1984 by Divison of Air Pollution Control, IEPA are presented in Appendix M-2-C. The highest observed TSP values for these monitoring stations were 123 and 118 ug/m³ respectively. The highest observed TSP value on Johns-Manville disposal area was at Station #1 and was 103 ug/m³. This is less than 24-hour maximum value of 150 ug/m³ (Secondary NAAQS) and those observed during 1984 by IEPA in the residential and commercial areas of Waukegan. Thus the Johns-Manville disposal area does not exhibit any adverse impact on human health or environment from air borne suspended particulates.

SECTION 4.0

Clayton Environmental Consultants line

25711 Southfield Road, Southfield, Michigan 48075, Telephone (313) 424-8860

Ambient Air Quality Survey for Johns-Manville Company Waukegan, Illinois conducted on August 2 - August 6, 1985

Clayton Job No. 27335-13

August 26, 1985

Clayton Environmental Consultants Inc

25711 Southfield Road, Southfield, Michigan 48075, Telephone (313) 424-8860

August 26, 1985

Dr. S.K. Malhotra KUMAR MALHOTRA & ASSOCIATES 3000 East Belt Line, N.E. Grand Rapids, MI 49505

Clayton Job No. 27735-13

Dear Dr. Malhotra:

We are pleased to present two copies of our report titled, "Ambient Air Quality Monitoring at Johns-Manville Company, Waukegan, Illinois."

It has been a pleasure working with you on this project. If you have any questions, please call.

Sincerely,

Frederick I. Cooper

Assistant Vice President

Manager, Air Quality Services

FIC/cas

Enclosures

Contents

		Page	
1.0	INTRODUCTION	1	
2.0	PRESENTATION OF RESULTS	1	
3.1 3.2	SAMPLING & ANALYTICAL PROCEDURES TOTAL SUSPENDED PARTICULATES LEAD METEOROLOGICAL DATA	1 1 2 2	
4.0	RELEVANT AIR QUALITY STANDARDS	2	
5.0	CONCLUSION	3	
6.0 Fign	ADDITIONAL COMMENTS ures	4	
1 2	Sample Locations On-Site Sample Locations Off-Site	7 8	
Tab	les		
1 2	Total Suspended Particulate Concentrations Lead Concentrations	9 10	
App	pendices		
E	Hi-Vol Sampler Field Data Sheets Field Data Summary Sheets Meteorological Data Summary USEPA RECOMMENDED SAMPLING AND ANALYSIS PROCEDURES	A-1 to A-3 B-1 to B-3 C-1 to C-3 D-1 to D-1	}

Ambient Air Quality Survey for Johns-Manville Company Waukegan, Illinois conducted on August 2 - August 6, 1985

Clayton Job No. 27735-13

Clayfom Environmental Consultants Inc.

25711 Southfield Road, Southfield, Michigan 48075, Telephone (313) 424-8860

1.0 INTRODUCTION

Kumar Malhotra & Associates, Inc. retained Clayton Environmental Consultants, Inc. to conduct an ambient air quality survey for the Johns-Manville Company at its Waukegan, Illinois location. The purpose of this study was to determine the concentrations of lead and total suspended particulate (TSP) at seven locations in the dump site and two off-site locations. See Figures 1 and 2.

Generators were used at five of the sites to provide power for the Hi-Vol samples. In order to account for the effect of lead produced from the gasoline in the generators, Site 10 was established at a remote corner of the dump site.

Mr. Ravi Vangipuram, Mr. Wesley F. Priem and Mr. John Zvetan of Clayton conducted the study on July 29 through August 7, 1985.

2.0 PRESENTATION OF RESULTS

Results of the analysis of TSP and lead are presented in Tables 1 and 2, respectively. The concentrations are expressed in micrograms per cubic meter.

3.0 SAMPLING AND ANALYTICAL PROCEDURES

3.1 TOTAL SUSPENDED PARTICULATES

TSP was collected on an 8" x 10" IPM 2000 spectograde filter using a high volume sampler. The Hi-Vol sampler draws air at a flow rate of approximately 50 cubic feet per minute. The Hi-Vol samplers were calibrated and operated in accordance with the procedures outlined in the Environmental Protection Agency Regulating on

National Primary and Secondary Ambient Air Quality Standards, Appendix B. Each filter was tared prior to sampling and was weighed after sampling for 24 ± 1 hour. Calculations were performed in accordance with the EPA regulations. See Appendices A and B.

3.2 LEAD

Ambient air lead concentrations were determined from analysis of a section of the 8" x 10" filter. Procedures followed those outlined in the EPA regulations on National Primary and Secondary Ambient Air Quality standards, Appendix G. This method involves extraction of lead from the filter with nitric acid and analysis of the extract using atomic absorption spectrophotometry (AAS).

3.3 METEOROLOGICAL DATA

Wind speed, wind direction, ambient temperature and barometric pressure data were noted at each site at least three times during each sampling run, using a portable anemometer wind vane and barometer. However, there were no significant changes in the data between sites. The meteorological data is presented in Appendix C.

If there was a precipitation of 0.1 inches or greater during any test run, that test run was repeated after 24 hours.

4.0 RELEVANT AIR QUALITY STANDARDS

The EPA regulations on National Primary and Secondary Ambient Air Quality Standards set the following maximum limits on TSP and Lead.

Total Suspended Particulates

	24-hour maximum (not to exceed once a year)	Annual geometric mean
Primary Standard	260 ug/m ³	75 ug/m^3
Secondary Standard	150 ug/m ³	$60~\mathrm{ug/m^3}$
Lead	24-hour maximum	3-month average
Primary Standard		1.5 ug/m ³
Secondary Standard		1.5 ug/m ³

The results of our tests show that the TSP and lead concentrations are well below the EPA standards at all the sampling locations.

5.0 CONCLUSION

- (1) The concentration of TSP was greater than 60 ug/m³ during two of the three days of testing at Site 1. This is possibly because of its proximity to the road situated about 12 feet from the sampler. The concentration of TSP at most of the other sites were well below 60 ug/m³.
- (2) Generators were placed south of the samplers at the five sampling locations. Since southerly winds were very infrequent the contribution of lead from generators was negligible.
- (3) The concentration of lead at all the nine sampling locations were much lower than the 1.5 ug/m³ standard.
- (4) No corrections were made for lead concentrations due to the contribution from the generators. All the lead concentrations were much lower than 1.5 ug/m³. The concentrations at sites with generator-driven samplers were not generally greater than concentrations at sites without generators.

This report submitted by:

Ravindran N. Vangipuram

Project Leader

This report approved by:

Frederick I. Cooper Assistant Vice President

Manager, Air Quality Services

August 26, 1985

6.0 ADDITIONAL COMMENTS

Sampler Locations: All samplers were located as proposed in the letter dated June 24, 1985 (revised July 3, 1985) except the two stations which were proposed on the beach. These two stations were moved west of the proposed beach locations to avoid potential vandalism/tampering of sampling equipment by public. In addition, one station was added on the Northeast corner of the Northwest 40 acre wooded area of the Johns-Manville property. As discussed earlier this station was added to serve as "Control" sampling station to account for potential lead contribution from the leaded gasoline gererators used at some of the sampling locations.

Sampling and Analysis Procedures

As discussed earlier USEPA prescribed procedures for Ambient Air Quality Monitoring were used. A copy of these for TSP and lead are enclosed in Appendix D.

Sampling Periods and Meteorological Conditions

Three test runs, each for a period of 24 ± hours were conducted as discussed earlier. The data on temperature, barometric pressure, wind speed and wind direction taken during each test run on each sampling station is presented in field data sheets included in Appendix A. A summary of the average meteorological data for the 10 stations during each of the three test runs is presented in Appendix C. No rainfall data is included with the meteorological data as it was not available from the National Climatic Data Center, Ashville, North Carolina. Precipitation data for Waukegan area obtained from National Climatic Data Center by telephone (Sam McOwen (704) 259-0682) for each test run is presented below:

Test Run #1

Duration: 8:00 A.M. August 1, 85 to 8:00 A.M. August 2, 85 (Thursday) (Friday)

Precipitation data: Recorded precipitation during this period was 0 inches.

Test Run #2

Duration: 8:00 A.M. August 2, 85 to 8:00 A.M. August 3,85 (Friday) (Saturday)

Precipitation data: Recorded precipitation during this period was 0 inches.

Test Run #3

Duration: 8:00 A.M. August 5, 85 to 8:00 A.M. August 6, 85 (Monday) (Tuesday)

Precipitation data: Recorded precipitation from 6:00 A.M. August 5, 85 to 6:00 A.M. August 6, 85 by National Climatic Data Center is 0.20 inches. However, no rainfall of any significance was observed in the air sampling area during this sampling period or in the vicinity of the Johns-Manville disposal area. This discrepancy in the precipitation data is more likely due to the localized precipitation around the National Climatic Data Center's precipitation recording station. WKRS Radio Station is the official precipitation recording station for National Climatic Data Center and WKRS and Johns-Manville disposal area are located on the Westerly and Easterly edges of Waukegan City respectively. In general, the month of July, 1985 was relatively drier than the average July month in the Waukegan area.

Quality Control Area

The laboratory detection limit for lead per filter was 0.02 mg and the accuracy of lead measurement from the filter was \pm 10%.


One field blank filter was analyzed for each test run and the lead and TSP values obtaind are as follows:

Test Run Period	August 1-2	August 2-3	August 5-6
Lead (mg)	0.02	.02	.02
TSP (mg)	-0.5	-0.8	-1.0

In addition four filters were spiked by 0.20 mg of lead. The percent recovery data for these is as follows:

<u>Sample</u>	Percent Recovery	Average Recovery
1	48	
2	62	
3	64	56%
4	50	

Full filter was used for each lead analysis and the average recovery of 56% was used to calculate the actual lead on the filter.






Figure 2 Locations of Off-Site Samplers.

TABLE 1

TSP Concentrations (ug/m³)

Johns-Manville Company

Waukegan, Illinois

Site Number	August 1-2, 1985	Sampling Date August 2-3, 1985	August 5-6, 1985
1 *	55.7	104.0	65.4
2 *	11.4	23.6	40.0
3 *	8.0	15.6	28.8
4 *	7.2	12.5	21.1
5 *	12.5	26.00	37.3
6	11.1	32.8	35.8
7	30.8	64.0	32.3
8	16.6	23.4	27.7
9	12.7	36.9	23.4
10 *	9.7	19.6	30.8

^{*}Indicates samplers with generators

TABLE 2

Lead Concentrations (ug/m³)

Johns-Manville Company

Waukegan, Illinois

Site Number	August 1-2, 1985	Sampling Date August 2-3, 1985	August 5-6, 1985
1 *	0.0123	0.0497	0.0229
2 *	0.0062	0.0556	0.0361
3 *	0.0060	0.0426	0.0203
4 *	0.0060	0.0371	0.0226
5 *	0.0090	0.0206	0.0434
6	0.0060	0.0400	0.0212
7	0.0140	0.0778	0.0090
8	0.0530	0.1070	0.0450
9	0.0130	0.0449	0.0100
10 *	0.0110	0.0298	0.0115

^{*}Indicates samplers with generators

10

APPENDIX A
HI-VOL SAMPLER FIELD DATA SHEETS

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

HI-VOL DATA RECORD (Continued)

	(Continued)		SITE ADDRESS Warkeyan
Net Partic	culate Wgt.	grams	PROJECT Malhotra () SITE NO. 1
Air Volume		_m 3	instrument last calibrated
	te Concentration		ROTAMETER IDENTIFICATION NO.
			FILTER NUMBER 5166922
total sami	hour	s minutes	START SAMPLING CA 1 85 8 16
REMARKS:			STOP SAMPLING 08 2 85 8 31
			ELAPSED TIME METER READING 7603 11054
			WIND:calm,li4ht,gusty
			VISIBILITY:clear,hazy
		•	SKY: clear, scattering
			overcast
time	DP	gas Filled T	P HUMIDITY:dry,moderate
		G	humid
8:10			TEMPERATURE *F:<20,20-40,
8 16	(A.5-1.1)		233° >80
	(41.) - 1.1)	97	- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate
11.35		1- 68	- Faceplate gasket must be in good condition
15:02		V 68	- Agtaméter must be tree of foreign material
19.50		•	- Rotameter operation must be stable 28 j = Sampler motor brushes must be changed every 400 hrs of operation
04113		V is 6	Sample was collected in accordance with the above guidelines
	(4.5-1.1)	~ ~ ~ · ·	28.9 Signature
		65-	-
			REMARKS: Total Sampling than 1:14 miles
11,20	$\dot{\tau}$		+15-143
11.32	. † .5		1455
1100	4 N		1446 Times
114 50	2.5 N		

Net Parti	culate Wgt.		gra	MA
Air Volum	e		æ3	
Particula	te Concentra	tion	_ µg/s	ı ³
Totel Sam	pling Time _	hours minu	tes	
REMARKS:_				-
				- -
<u>t</u>	DP	ga filled	<u></u>	- P
8.23	1.5	· /	ريخ:	28 8 h
1:42 15:10 20:00 20:37 24:21	na jus porcij			28 82
8:39	1.4	· ~	65	287
المحادث	(m)3 . 1 3	(95) ,45		
4.43	.	5 5 è		
X- 34	calm	_		

(
STATION LOCATION Johns Hanville
SITE ADDRESS Wankegan
PROJECT Hallo Na USITE NO. 2
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 11
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166917
START SAMPLING 8 1 8 9 23
STOP SAMPLING & Z & 8 35
ELAPSED TIME HETER READING M543-5 47342-5
WIND: calm, tight, gusty
VISIBILITY:clear,
SKY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE *F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign meterial
- Rotameter operation must be stable - Sampler motor brushes must be change?
every 400 hrs of operation
Sample was collected in accordant
with the above guidelines
Signature
REMARKS: FALL FALLS
<u> </u>
1298.7 min 2

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

CITY & STATE Tohns thanille
SITE ADDRESS Wankegen
PROJECT Malhotral SITE NO. 3
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 7
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 51669211
START SAMPLING 8 1 85 8 35
STOP SAMPLING 8 2 8 5 2
ELAPSED TIME METER READING \$ 55
WIND: calm, light, gusty
VISIBILITY:clear,hazy
SKY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE °F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be \pm 10% of established
flowrate - Faceplate gasket must be in good
condition - Rotameter must be free of foreign
material - Rotameter operation must be stable
 Sampler motor brushes must be changed every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
REMARKS:
Total time not
Clay (SEEREMAKS)
852 mcz

HI-VOL DATA RECORD (Continued)

Net Pari	ciculate Wgt.			grams
Air Volu	ıme			_m 3
Particu	late Concentr	ation		μg/m ³
Total Sa	ampling Time	hours	minute	
REMARKS:	: Pemp i generates	ias deal was ck	at 8	- (ang 2)
t	DP	filled	Ţ.	P
8 35	1.45			338
11 45			50	282
20105 2130 2429			68	282
8:52	Dead	~	65	28.7
Time 11.5	is cal	<u> </u>	73 VD 186 7	

.... I II III

HI-VOL DATA RECORD (Continued)

Net Particulate Wgt. Air Volume Particulate Concentration Total Sampling Time hours minus			µg/t	
F. P. 45	Casoro 1900-4602 1955	CHARLE		
8.45	<u>AP</u> 3·3	gas Filled	T_ Se	- P **?
18:35 20:15 6:33 24:31 9:01	3 · 3		65 S	28 9
9:01	- Culm) (1) (E) (E) (E) (E) (E) (E) (E) (E) (E) (E		

STATION LOCATION Johns Manule
SITE ADDRESS Wankegan
PROJECT Hallota I SITE NO. 4
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166920 J
START SAMPLING 8 1 ST 8 45
STOP SAMPLING 8 2 85 9 C1
ELAPSED TIME METER READING
WIND: calm, light, gusty
VISIBILITY:clear,
SKY: clear, scattering
cvercast se
HUMIDETY: dry, moderace dem
humid
TEMPERATURE 'F:<20,20-40,
41-60,61-80,>80
- Faceplate must be hand tight
- Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be change, every 400 hrs of operation
Sample use collected in accordation with the above guidelines
<u> </u>
Signature
REMARKS:
Chronify & and offers. These
The 1 A 3 : 10 15 + 16 - 6.20 = 16 = 6

HI-VOL DATA RECORD (Continued)

155 3739 3739 3739 3739 3739 374 374 374 374 374 374 374 374	Net Par Air Volu	ticulate Wgt.		
## AP Filled 7. P S 55 1:9 1:9 68 26: 1:4 1.9 14 1.9			stion	μg/ш
# AP Filled T. P 3 55 1:7 30 30 30 30 30 30 41 14 1.9 68 28 28 28 28 28 28 28 28 28	otal S	ampling Time	hours	minutes
355 1:9 V 28 35 V 68 26 30 V 68 26 30 V 68 26 30 V 68 26 30 V 68 28 30 V	EMARKS	:		
355 1:9 25 35 25 37 25 38 25 39 25 30 2				
355 1.9 28 35 26 26 26 26 26 26 26 26 26 26 26 26 26				
355 1:9 28 357 28 379 28 370 28 370 28 370 28 370 28 37	t	ΔP	Jagar Hilled	7. P
139 125 14 19 19 19 19 19 19 19 19 19 19	3 35-	1:9	V	× 8 ×
14 1-9 65 28. 14 1-9 524	55			30 212
14 1-9 V 65 28-			✓	68 252
14 1.9 V 65 280 14 1.9 V 65 280 14 1.5 J				
ENGTH STAY SOF		1.9		65 28.5
ENGTH STAY SOF		₹3÷7.		
	U sa	,	2	
9.14 Calm -	€ 11 1,5° 9.14	J. 1.	SSF	

STATION LOCATION Johns Mannille
SITE ADDRESS Wankegen
PROJECT Malhora SITE NO. 5
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 3
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5/667/3
START SAMPLING 8 1 85 9 15 mo day yr hr min CFM
STOP SAMPLING 8 2 85 7 14 mo day ye he min CFM
ELAPSED TIME METER READING 3 3 8:11
WIND:calm,light,qusty
VISIBILITY:clear,hazy
SKY:scattering
overcast
HUMIDITY: dry, moderate
humid
TEMPERATURE 'F': <20, 20-40,
41-60,61-80,>80
- Faceplate must be hand tight
- Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign material
- Rotameter operation must be stable
 Sampler motor brushes must be changed every 400 hrs of operation
Sample was collected in accordance with the above guidelines
XXXX
Signature
REMARKS: Free Kinese 1666 - 66 =
1326 min

HI-VOL DATA RECORD (Continued)

Air Volume	·		
	oling Time		minutes
REMARKS:			
<u>t</u>	3.4°420	Alled X	7 P 28 S
12:01 9:20	3·6 ^{"4} 20		80 28.82 65 28.9
Time /1 9:20	nos S Celm	13 (25) -34	

STATION LOCATION Johns Manill
SITE ADDRESS Wankeyon
PROJECT Malhora SITE NO. 6
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 25
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5/66723
START SAMPLING 8 1 85 -) C 1
STOP SAMPLING 8 2 85 9 20
ELAPSED TIME METER READING 8753 4 1041
WIND:calm,light,zusty
VISIBILITY:clear,
SRY:clear,scaccering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE °F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be + 10% of established
flowrate - Faceplate gasket must be in good condition
- Rotameter must be free of foreign material
- Rotameter operation must be stable - Sampler motor brushes must be change?
every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
REMARKS: Mike how 10415-8711
- 14:46
;

Total Sampling Time REMARKS: L 9:20 3:8			grams m ³ µg/m ³	
	ours	minutes		
t DP -c q				
£ DP -: Q				
$\frac{\mathcal{L}}{\mathcal{L}}$ $\frac{\Delta P}{2}$				
	gas	T	Pij	
9:20 3.8	Х		388	
is:15		Şt	282	
1:54				
3.6		70	28· <i>9</i>	
7c !	<i>≟.</i>	·		
time my				
12 15 5 9:37 Calm	33 <i>E</i>			

STATION LOCATION Johns Manuelle
SITE ADDRESS Wankegon
PROJECT U SITE NO. 7
INSTRUMENT LAST CALIBRATED
notor identification no. 19
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER <u>5/659/64</u>
START SAMPLING 8 1 81 7 20 mo day yr hr min CFY
STOP SAMPLING 8 2 & 9 37
ELAPSED TIME METER READING 8752 10621
VIND: calm,iizht,gusty
VISIBILITY:clear,hazy
SKY:scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE *F:<20,20-40,
41-60, 61-80, >80
Faceplate must be hand tight Flowrate must be + 10% of established flowrate
 Faceplate gasket must be in good condition
 Rotameter must be free of foreign material
- Rotameter operation must be stable
Sampler motor brushes must be changed every 400 hrs or peration
Sample was collected in accordance
with the above guidelines
Signature
REMARKS: That can time 14 75 5

	culate Wgt.				
Air Volum	ıe			m³	
Particula	te Concenti	ation		µ8	:/m ³
Total Sam	pling Time	hour	s mi	nutes	
REMARKS:_					
	A 0	gas			_ _ _;
<u>*</u>	<u>DP</u> 3.8	&lla Y	d	T	252
2 25				20	2 3
:45	4.1				
£ my		'm';	£5 100		
9:45	C	i alm	î î		

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

l
STATION LOCATION John Manuels
SITE ADDRESS Wankegan (2327)
PROJECT Malhotra U SITE NO. 8
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 20
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 51669184
START SAMPLING & 1 & 9 26
STOP SAMPLING 8 2 85 5 45 1
ELAPSED TIME METER READING 31613 10420
WIND: calm, light, qusty
VISIBILITY:h
SKY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE 'F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be changed every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
and the second of the second o
REMARKS: Total run have 1460 - 1

• ^

Net Particulat	e Wgt.			grams
Air Volume				,3
Particulate Co	ncentra	tion	µ	g/m ³
Total Sampling	Time _	hours	minutes	_
REMARKS:				
£ £	<u>1</u>	gas Filled	T Re	<u>P</u> 283
以·35	2	,	32	28.2
9:54 3.1	/		75	289
- may		1 - 1.	#± _22)	
12 35		- alm	356	

STATION LOCATION Johns Manuille
SITE ADDRESS Wankeran (38286
PROJECT Macho Va SITE NO.
INSTRUMENT LAST CALIBRATED
HOTOR IDENTIFICATION NO. 22
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 516:519 4
START SAMPLING 8 1 85 9 37
STOP SAMPLING 8 2 85 3 54 mo day yr hr min ce
ELAPSED TIME METER READING 9337 1068
WIND:calm,light,gusty
VISIBILITY:hazy
SRY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE *F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be ± 10% of established flowrate
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable Sampler motor brushes must be changed
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance with the shove guidelines
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance with the showe guidelines
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance with the showe guidelines - Signature

Net Partic					grams
Air Volume					
Particulat	e Concent	ratio	·	,	g/m ³
Total Samp	ling Time	hor	ırs	minutes	1
REMARKS:					
£	OP	ZJi	rs led	I	<u></u>
9:11	3.3		/		28.8
12 12				Fi	18.2
15 5 3 20130 1 1 50			V V,	68	252
4:43				•	
9.28	3.2		V	65	289
time		m/;	ς (ζ ()	+υ)	
1-1,1		5	· 	-	
9:20	a	hm	_	_	

· ·
STATION LOCATION Johns Manuel
SITE ADDRESS Waukegan
PROJECT Malliotra SITE NO. 10(Du
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 18
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 51659/57
START SAMPLING 8 1 85 9:12
STOP SAMPLING 8 2 85 9:25
elapsed time meter reading $\frac{39437}{\text{Initial}}$ 10386:
WIND: calm, light, gusty
VISIBILITY: b
SKY:scattering
overcast
NUMIDITY: dry, moderate
humid
TEMPERATURE *F:<20,20-40,
41-60,61-80,>80
- Paceplate must be hand tight - Flowrate must be + 10% of established
flowrate - Faceplate gasket must be in good
condition - Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be changed every 400 hrs of pagration
Sample was collegted in accordance
with the above guidelines
Signature
REMARKS: Tirel time 1417.
<u></u>
• •

Net Particulate Wgt. grams

Particulate Concentration ____ µg/m³

Total Sampling Time hours minutes

Air Volume

REMARKS:

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075
SITE ADDRESS Marke, in PROJECT Hillicha SITE NO. 1
SITE ADDRESS Warker and
PROJECT Hillicha SITE NO. 1
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 21
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER _ 5166933
START SAMPLING OB 2 85 8 33 mo day yr hr min CF
STOP SAMPLING 8 3 85 8 47 mo day yr hr min CF
mo day yr hr min CF
ELAPSED TIME METER READING 11054 1246
WIND: calm, light, gusty

VISIBILITY: _____clear, ____hazy SKY: _____clear, ____scattering

			Frem		0\	vercast	
Time A	PTP	m/; W5	WD	gas flos	OILHUMIDITY:	_dry,	_moderate
8:33 (4.2-1	65 28.9	Calm				humid	
	63 23.7		_	•	TEMPERATURE "F:	<20, _	20-40,
11.33	72 23 48	3	5W	~	41-60,	61-80,	>8
17:45	72 2386	:-3	NNN	/	 Faceplate must Flowrate must flowrate 		
18:48	65 28.78	Cilm	_	~	- Faceplate gash condition	cet must be i	in good
50.40	66 29.83		ESE	✓	 Rotameter must material 	be free of	foreign
3.57	66 28.83	-		_	- Rotameter oper - Sampler motor every 400 h		t be change
8:47 (4.2-1	<i>i</i>)					collected	

41-60,	61-80,	>80
Faceplate must	be hand tight	
Flowrate must b	e <u>+</u> 10% of est	ablished
flowrate Faceplate gaske	t must be in a	ond
condition		,004
Rotameter must material	be free of for	eign
Rotameter opera	ition must be s	table
Sampler motor b		changed
every 400 hrs	of operation	
Sample was	collected in a	ccordance
with th	he above guide	lines

REMARKS: 1375

HI-VOL DATA RECORD (Continued)

Net Pa	irticula	te Wgt.			grams	
Air Vo	lume	·			_ m ³	
Partic	ulate (Concentra	tion		μg/m ³	
Total	Samplin	ig Time _	hours	minut	e s	
		ENERATO				
@ 7	:00 C	OT app	vexim	tely	3/2 hvs.	
Fixed	طيعها	len 6	4:30	<u> </u>		
						
Time	1420 DP	T P	m/s W5	WD	gas Filed	01
8:46	i.5 6	5 28.7	calm	-	~	
11:41	12	2 3889	5	5 W	/	
15.55	* .	2 4386	0-3	in ni		
18:55	6 \$	29.48	calm			
11:45 0:50 04:40	6	<i>28.</i> 8	3 cal	~ ~	/	✓
8:42	1.5					

PROJECT Milliams SITE NO. 2 INSTRUMENT LAST CALIBRATED MOTOR IDENTIFICATION NO. FILTER NUMBER 5/66932 START SAMPLING 8 2 85 8 42 MO day yr hr ain CFN STOP SAMPLING 8 3 85 8 42 MO day yr hr ain CFN ELAPSED TIME METER READING 42932 4401 WIND: calm. light. susty VISIBILITY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE 8 20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of aperation Sample was collected in accordance with the above guidelines - Signature REMARKS: Spine 435465	STATION LOCATION The Manually
PROJECT Milliams SITE NO. 2 INSTRUMENT LAST CALIBRATED MOTOR IDENTIFICATION NO. FILTER NUMBER 5/66932 START SAMPLING 8 2 85 8 46 BO day yr hr ain cfm STOP SAMPLING 8 3 85 8 42 BO day yr hr ain cfm ELAPSED TIME METER READING 42832 9 4401 WIND: calm, light, susty VISIBILITY: clear, SKY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE 'P: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable - Sample was collected in accordance with the above guidelines With the above guidelines Signature REMARKS: 1916 435465 Signature REMARKS: 1916 435465 Signature	SITE ADDRESS Wanteran
ROTANETER IDENTIFICATION NO. FILTER NUMBER 5/66932 START SAMPLING 8 2 85 8 46 STOP SAMPLING 8 3 85 8 42 THE METER READING 428329 646 WIND: Calm. light. Sussylvisibility: Clear, scattering overcast HUMIDITY: dry. moderate humid TEMPERATURE 'F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines **The Signature** REMARKS: 1076 435465 **The Startal 1155	PROJECT Miliona SITE NO. 2
ROTANETER IDENTIFICATION NO. FILTER NUMBER 5/66932 START SAMPLING 8 2 85 8 46 STOP SAMPLING 8 3 85 8 42 BO day yr hr win CF! ELAPSED TIME METER READING 42829 6401 WIND: calm, light, susty VISIBILITY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE 'F: <20, 20-40, 41-60, 61-80, >30 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines **The Color of the collected of the condition with the above guidelines **The Color of the collected of the condition with the above guidelines **The Color of the collected of the coordance with the above guidelines **The Color of the collected of the coordance with the above guidelines **The Color of the collected of the coordance with the above guidelines **The Color of the color of th	INSTRUMENT LAST CALIBRATED
START SAMPLING 8 2 85 8 46 BO day yr hr ain CFM STOP SAMPLING 8 3 85 8 42 BO day yr hr ain CFM STOP SAMPLING 8 3 85 8 42 BO day yr hr ain CFM ELAPSED TIME METER READING 42829 4401 Initial WIND: calm, light, justy VISIBILITY: clear, SRY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE "F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be hand tight - Flowrate must be hold tight - Faceplate gasket must be in good condition Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of appration Sample was collected in accordance with the above guidelines The Company of the condition Sample was collected in accordance with the above guidelines **The Company of the condition of the collected of t	MOTOR IDENTIFICATION NO. 11
START SAMPLING 8 2 85 8 46 BO day yr hr ain CFM STOP SAMPLING 8 3 85 8 42 BO day yr hr min CFM ELAPSED TIME METER READING 42932 9 4401 Initial WIND: calm, light, justy VISIBILITY: clear, SKY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: 10,44 4354/6,5.44 Signature	ROTAMETER IDENTIFICATION NO.
STOP SAMPLING 8 3 85 8 42 mo day yr hr min CF: ELAPSED TIME METER READING 42829 4401 Initial WIND:	FILTER NUMBER 5166932
ELAPSED TIME METER READING 42939 4401 WIND: calm. light. gusty VISIBILITY: clear, SKY: clear, scattering overcast HUMIDITY: dry, moderate humid TEMPERATURE 'P: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: Signature Temperation 1155	START SAMPLING 8 2 85 8 46
ELAPSED TIME METER READING 42939 4401 WIND: calm. light. gusty VISIBILITY: clear, SKY: clear, scattering overcast HUMIDITY: dry, moderate humid TEMPERATURE 'P: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: Signature Temperation 1155	STOP SAMPLING 8 3 85- 8 42
VISIBILITY: clear, scattering OVERCAST HUMIDITY: dry, moderate humid TEMPERATURE °F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REHARKS: Signat 4354/6.5 mm Stopplat 21:45 - Startal -2155	
SRY:	WIND:calm,light,gusty }
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Facepiate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines The standard of the stable of	VISIBILITY:clear,
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Facepiate must be hand tight - Flowrate must be + 10% of established flowrate - Facepiate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: Signature The start of	SRY:clear,scattering
humid TEMPERATURE °F: <20, 20-40, 41-60, 61-80, >80 - Facepiate must be hand tight - Flowrate must be + 10% of established flowrate - Facepiate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines - Signature REHARKS: - Signature 4354/6.5 mm. Signature	overcast
TEMPERATURE °P: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: Signature The start of the st	HUMIDITY:dry,moderate
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Figure 4354/6.5 mm Stypelat 21:45 - Saturtal - 21:55	humid
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS: Signal 4354/6.5	TEMPERATURE *F:<20,20-40,
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines - Signature REHARKS: - Signature 4354/6.5 mm - Signature	41-60,
- Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines - Signature REHARKS: Signature - Standard - 21:75 - Standard - 21:55	- Plowrate must be + 10% of established
- Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordant with the above guidelines Signature REHARKS: Signat 4354/6.5	
- Rotameter operation must be stable - Sampler motor brushes must be change every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REHARKS: Started 4354/6.5	- Rotameter must be free of foreign
Semple was collected in accordance with the above guidelines Signature REHARKS: Stayed 4354/6.5	- Rotameter operation must be stable
Signature REHARKS: Stopped 4354/6,5 mi Trud Stoppelat 21:45 - Startel -21:55	every 400 hrs of operation
Signature REHARKS: Stopped 4354/6,5 mi Trud Stoppelat 21:45 - Startel -2155	Sample was collected in accordant
signature REHARKS: Stopped 4354/6,5 mi Tond Stoppelat 21:45-Started-2155	with the above guidelines
Stoppelat 21:45-Started-2155	
Stoppelat 21:45-Started-2155	Signature
	Signatura
The run time 1179.2	REHARKS: Stopped 4354/6,5.m.
	REHARKS: Stored 4354/6,5 mi Toud Storelat 21:45 - Started -2155

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075 (Continued) STATION LOCATION CITY 6 STATE Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

								SITE ADDRESS Wacker			
								PROJECT Maile was 1 SITE NO. 3			
Net Pa	rticula	te Wgt	•		gra	a a s		HOTOR IDENTIFICATION NO. 4. (Pump			
Air Vo	lume		* <u></u>		=3						
Particulate Concentration µg/m ³ Total Sampling Time hours minutes						₂ 3		ROTAMETER IDENTIFICATION NO. 5 uc.			
								FILTER NUMBER 5/66931 24m			
TOTAL	Sambiiu	g time	hour	mir	utes			START SAMPLING 8 2 85 8 5 1			
								mo day yr hr min Ca			
	_							STOP SAMPLING 8 3 85 8 37			
REMARK	:s:					-		and day ye he are the			
						_		ELAPSED TIME METER READING 957 85			
						_		WIND:calm,light,gustv			
						_		VISIBILITY: clear, hazy			
	-					_		SKY:clear,scattering			
						_		overcast			
Time	0P	_	P		/.ID	Ser.		HUMIDITY:dry,moderate			
						Jakist T	011	humid			
8.23	20	65	289	Culm	-	<u></u>		TEMPERATURE "F:<20,20-40,			
ルチ		72	33.32	5	- v			41-60, 61-80, >80			
57		= 2	28 30	2-3	12463	/		- Faceplate must be hand tight - Flowrate must be + 10% of established			
9 '								flowrate - Faceplate gasket must be in good			
3:52		65	28 27	Celm		V		condition - Rotameter must be free of foreign			
3.55			28 83	O.			,	material - Rotameter operation must be stable			
4:48		د) و)	20,00	cauc			レ	- Sampler motor brushes must be changed every 400 hrs of operation			
57	2.2							Sample was collected in accordance			
								with the above guidelines			
								Signature			
								REMARKS: 14.55			
								RESTARTED TO THE PROPERTY OF T			

. . .

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

STATION LOCATION JULY STATE

HI-VOL DATA RECORD (Continued)

		SITE ADDRESS hacebases			
		PROJECT Mailinha 1 SITE NO. 4			
Net Particulate Wgt.	- grams	INSTRUMENT LAST CALIBRATED			
Air Volume	m ³	motor identification so. 1			
Particulate Concentration	μg/m ³	ROTAMETER IDENTIFICATION NO.			
Total Sampling Time		FILTER NUMBER 5166930			
hours minute	2 S	START SAMPLING 8 2 85 9 09 mo day yr hr min CFM			
REMARKS: Gen Greek of M. T. (12).	4026	STOP SAMPLING 8 3 95-8 28 mo day yr hr min Cr			
it it get 185 There have In		ELAPSED TIME METER READING 9.09 5.25			
Cremetar out @ 4:50 sta	Laco	WIND:calmlight,gu			
it last time = zhos		VISIBILITY:clear,hazy {			
		SKY:clear,scatterin			
		overcast			
Time DP T P WS WD	gas.	HUMIDITY:dry,moderate			
	Pried OIL	humid			
9:09 3.4 65 18.9 Celm -	/	TEMPERATURE *F: <20, 20-40,			
11/25 75 2883 3 500	,	41-60,61-80,>80			
16.03 75 S\$6 3-3 200		- Faceplate must be hand tight - Flowrate must be + 10% of established			
18:48 65 2879 culm -	<u> </u>	flowrate - Faceplate gasket must be in good			
1103		condition - Rotameter must be free of foreign			
04:54 66 28.83 calm -		material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation			
8 28 3.1					
		Sample was collected in accordance with /the. above guidelines			
		Xan J			
		Signature			
		REMARKS: Total izeen home 127			

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southffeld, Michigan 48075

HI-VOL DATA RECORD (Continued)

(conclude)		CITY & STATE TELMS Manuelle
		SITE ADDRESS War Kenny
		PROJECT Melhora SITE NO. 5
Net Particulate Wgt.	INSTRUMENT LAST CALIBRATED	
Air Volume	_ ^{m3}	MOTOR IDENTIFICATION NO3
Particulate Concentration	_ µg/m ³	ROTAMETER IDENTIFICATION NO.
Total Sampling Time		FILTER NUMBER 5/66926
hours minu	tes	START SAMPLING 8 2 85 9 17 mo day yr hr min CFM
REMARKS: Gam. 2007 at 13 16 (42) e 1	c).~acc	STOP SAMPLING & 8 & 6 23 BO day yr hr min CFM
Ok only if no load is on.		ELAPSED TIME METER READING 9/1 4:30 Initial Final
Fixed Gren @ 5:00 TURK	ED CAN	WIND: caim, light, gusty
14, Val		VISIBILITY:elear,hazy
		SKY:clear,scattering
Time AP T 7	900	overcast
Time AP T P WS WD	Tribed OIL	HUMIDITY: dry, noderate
917 1.8 65 289 Calm -		humid
Q (2 45 23 23 3 SN		TEMPERATURE *F:<20,20-40,
16.07 Be		41-60,61-80,>80
, inte		 Faceplate must be hand tight Flowrate must be + 10% of established
5:00	/ /	flowrate - Faceplate gasket must be in good
		condition - Rotameter must be free of foreign
128 1.8		material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hts of operation
		Sample was collected in accordance with the above guidelines
		Signature
		REMARKS: 433 mill

HI-VOL DATA RECORD (Continued)

Net Pa	srticul	ate Wg	t			grame		
Air Volume								
Particulate Concentration								
Total	Sampli:	ng Tim	hor	irs	minute	5		
REMARI	KS:							
Time	Δρ		P	(a) G	/41.7			
9:22	<u>∆</u> P 3·7	70	<u>-</u> 38.9	Culm		•		
1203		سر نیر د ج	33.23	3	SIJ			
16:26		75 75	<i>≈</i> 33	¢-3	NAN			
19:01			28.39					
5:10		46	28 : 8.	3 cal	ln -			
7:18	6.3		•					

STATION LOCATION Tokus Manuele
SITE ADDRESS Marchen and
PROJECT Milien SITE NO. 6
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 25
BOTAMETER IDENTIFICATION NO.
FILTER NUMBER 5/669/4
START SAMPLING 8 3 85 9 22 mo day yr hr min CFM
mo day yr hr min C?M
STOP SAMPLING 8 3 8 8 18 mo day yr hr min Cr
ELAPSED TIME HETER READING 10413 11787
WIND: calm, light, gus.,
VISIBILITY:h
SXY:clear,scattering
overcast
HUMIDITY:dry,moderace
humid
TEMPERATURE *F:<20,20-40,
41-60,61-80,>80
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign material
- Rotameter operation must be stable - Sampler motor brushes must be changed :
every 400 hrs of operation
Sample was collected in accordance with the above guidelines
Otto the above guiselines
Signature
REMARKS: 1374

HI-VOL DATA RECORD (Continued)

Net P	rticu	late	Wgt			_ gram			
Air V	Ir Volume								
Particulate Concentration									
Total	Sampl	ing T	ime	hours	minut	e s			
REMAR	KS:				· · · ·				
Time	ΔP	<u> </u>	<u>P</u>	Ws	WD				
9:38	3.6	70	28.9	calm					
2:12		75	28.83	3	sw				
S.30		75	28 36	0-3	えてろ				
9:09 01:15	4.2	65 66	28 77 128. 83	Celm 3 0-2	- 650	=			

STATION LOCATION _ che y Vanville
SITE ADDRESS Warkegon
PROJECT Malholta SITE NO. 7
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 19
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166928
START SAMPLING 8 2 85- 9 38 mo day yr hr min CEM
stop sampling 8 3 8+ 9 0 9 mo day yr hr min CFM /D421-4
ELAPSED TIME METER READING 1/46
WIND: calm, light, gusty
VISIBILITY: clear, hazy
SKY:clear,scattering
overcast
HUMIDITY:dry,moderace
humid
TEMPERATURE *F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be + 10% of established flowrate
 Faceplate gasket must be in good condition
 Rotameter must be free of foreign material
- Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
REMARKS: 13436

HI-VOL DATA RECORD (Continued)

Net Particulate Wgt. Air Volume Particulate Concentration							
			me ho				
REMAB	.KS:						
Time	AP	T	P	WS	WD		
47	4.2	70	P 28·9	calm	, –		
is							

•
STATION LOCATION CITY & STATE Tohns Manualle
SITE ADDRESS Was Wagen
PROJECT Malhotra SITE NO. 8
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 20
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166927
START SAMPLING 8 2 85 9 47 and day yr he ain cen
STOP SAMPLING 8 3 85 1 55
ELAPSED TIME METER READING 10420 7 11749.
WIND:calm,tighttus./
VISIBILITY:clear,
SKY:clear,scattering
overcast
HUMIDITY: dry, moderate
humid
TEMPERATURE *Y:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate
- Faceplate gasket dust be in good condition
- Rotameter must be free of foreign material
- Rotameter operation must be stable
- Sampler motor brushes must be changed . every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
REMARKS: 1328 7
<u> </u>

	Net Particulate Wgt.									
	Air Volume Particulate Concentration									
Total	Sampli	ng Ti	me ho	ours	minute	5				
REMAI	RKS:									
Time	<u>8</u> 2	T	<u>P</u>	WS	WD					
9:57	3.7	75	28.9	Calm	, –					
Ĵ:03	3.2	1								

STATION LOCATION Toke Volawille	
SITE ADDRESS / Wackiga	
PROJECT Malholtum site No.	9
INSTRUMENT LAST CALIBRATED	
MOTOR IDENTIFICATION NO. 22	
ROTAMETER IDENTIFICATION NO.	
FILTER NUMBER <u>5166925</u>	
START SAMPLING 8 2 85 9 57	E 5
STOP SAMPLING 8 3 85 9 03	F
ELAPSED TIME METER READING 1048) 8 113	3 -7 1 a 1
WIND:calm,light,gust	y
VISIBILITY:clear,hazy	,
SKY:scattering	
overcast	
HUMIDITY: dry, moderate	
humid	
TEMPERATURE *F:<20,20-40,	
41-60,61-80,>80	
- Faceplate must be hand tight	
 Faceplate must be hand tight Flowrate must be ± 10% of established 	
 Flowrate must be + 10% of established flowrate 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable Sampler motor brushes must be changed 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable Sampler motor brushes must be changed 	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance with the above guidelines 	
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance	
 Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign material Rotameter operation must be stable Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance with the above guidelines 	-
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance with the above guidelines	-
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance with the above guidelines - Signature	-
- Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation - Sample was collected in accordance with the above guidelines	-

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southffeld, Michigan 48075

HI-VOL DATA RECORD (Continued)

		(0	0116111000	•			:	STATION LOCATION Tony Manager	
Net P	articu	late	Wgt		g1	r a m s	1	PROJECT Makicha SITE NO. 18 INSTRUMENT LAST CALIBRATED	
Air Vo	lume					HOTOR IDENTIFICATION NO. 18			
Particulate Concentration µg/m ³								ROTAMETER IDENTIFICATION NO.	
Total	Semn1	ine T	1 me				1	FILTER NUMBER 5166929	
10121	Jemp1			urs =	inutes	-	!	START SAMPLING 8 2 85 9 32 mo day yr hr min CF	
REMARI	KS:	San.	out o	5:19	FIXE	1		STOP SAMPLING 8 3 8 9 10 CF	
	Sta	• .	_				ţ	PLAPSED TIME METER READING 10396-2 1161	
							1	FIND:su	
							1	/ISIBILITY:clear,	
							:	SKY:clear,scattering	
Time	AD	:0	- 2		10	 9-a-a		overcast	
			⁻ P	WS	WD	Filed	<u>نا ، ن</u>	NUMIDITY:dry,moderate	
9:32	3.3		<i>38.9</i>	-	-			humid	
12:09		75	25.33	5	3 W		1	TEMPERATURE *F:<20,20-40,	
18 27		75	2336	5-5	ころこ			41-60, 61-80, >80	
9:05		65-	28.77	Celm	_	/	•	- Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition	
46.17								- Rotameter must be free of foreign material	
25:17 1:10	3,5							- Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation	
. , 0	33							Sample was collected in accordance with the above guidelines	
								REMARKS: 123 J.S mile	

Net Particulate Wgt.							
Air Vo	_ m ³ _ µg/m ³						
Partic							
Total	Samplin	g Tim	hou	ura	minut	e s	
REMARK	:S:			· · ·			
Time	ΔP	I	P	WS	WD	gas Siled	
19.46 14:15	4.2	80	28.59	0-5	SW	Siled	
7.45		Ŗ5·	28.52	. 45	EW		
3:30			28.62			V	
2 1.5	4.1	90	22.85	45	SE		

HI-VOL DATA RECORD

STATION LOCATION Johns Manuele
SITE ADDRESS Wanks-can
PROJECT Malhota SITE NO. 1
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 21
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5'66935
START SAMPLING 8 05 85 15 46 mo day yr hr min CTM
STOP SAMPLING & C6 85 18.40 mo day yr hr min CFM
ELAPSED TIME METER READING 12498.8 1395
WIND: calm, light, austy
VISIBILITY:clear,hazy
SKY:scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE 'F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be + 10% of established flowrate
 Faceplate gasket must be in good condition
 Rotameter must be free of foreign material
- Rotameter operation must be stable - Sampler motor brushes must be changed
every 400 hre of operation
Sample was collected in accordance
sample was collected in accordance
with the above guidelines
with the above guidelines X
Signature
with the above guidelines
Signature

HI-VOL DATA RECORD (Continued)

Air Vo	8r m ³ µ8/	m ³				
			hou			<u>.</u>
(SI6)		bse d	2 at 4	45050-	7 at 1	1 <u>9</u> -13
Time	ΔΡ	7	P	WS	WD	C. 25 1.62
932	20	31	28.59 29.59	0-5	5W	7.62
1.51		83	2862	<5	SW	✓
3:35 9 13	1.4		2862	45	N W	/

Clayton Environmental Consultants, Inc. 25711 Southfield Road Southfield, Michigan 48075

I

STATION LOCATION CITY & STATE Oha Mani. le
July 1
SITE ADDRESS /Ca: heca.
PROJECT Malhaltra SITE NO. &
INSTRUMENT LAST CALIBRATED
HOTOR IDENTIFICATION NO. 11
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5/66936
START SAMPLING OF OF ST 17 52 mo day yr hr min CEM
STOP SAMPLING OF OF ST 15 13 Bo day yr hr min Ct
ELAPSED TIME METER READING 440.21 4530
WIND: calm, light, gusty
VISIBILITY:clear,
SKY:clear,scattering
overcast
HUMIDITY: dry, moderate
huaid
TEMPERATURE 'F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight
- Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good condition
- Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be change,
every 400 hrs of operation
Sample was/collected in accordance
with the above guidelines
1/61-
Signature
REMARKS: 1063 6

Net Pa	rticula	ite W	gt			_ grams
Air Vo	lume					_ ~3
Partic	ulate (Conce	ntratio	n		µg/m³
Total	Samplir	ng Ti	me ho	urs	minut	es
REMARK	s : <u>ح</u> م	ENE	0 m is	? 00	T FO	172
EXA	TLY	3	o mi	1		
						
Time	ΔP	T	P	6VS	ಬ೬	300
20:05	2.4	80	BLB	05	SW	/
94:38	r	81	28 59	0.5	Sω	V
756		55	28.62	45	Siv	V
13.40	(\$2	2862	25	NW	~
19:30 .	2.2					

STATION LOCATION CITY 6 STATE - Veha Prantille
SITE ADDRESS Lizuvage
PROJECT Malatra SITE NO. 3
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO.
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166937
START SAMPLING OF OS PS 20 CT mo day yr hr min CFM
STOP SAMPLING 08 06 55 19 30 mo day yr hr min CFM
ELAPSED TIME METER READING 18 17 19 19 19 19 19 19 19 19 19 19 19 19 19
WIND:calm,light,gusty
VISIBILITY:clear,hazy
SKY: clear, scattering
overcast
RUMIDITY: dry, moderate
humid
TEMPERATURE °F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be ± 10% of established
flowrate - Faceplate gasket must be in good
condition - Rotameter must be free of foreign
material
- Rotameter operation must be stable - Sampler motor brushes must be changed
every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
•
REMARKS: 1000 mills
REMARKS: 1000 miles

HI-VOL DATA RECORD (Continued)

Net Pa	rticul	ate W	gt			grams	
Air Vo	lume _					_m 3	
Particulate Concentration µg/m³							
Total	Sampli	ng Tiz	ho:	urs	minute	S	
REMARK	s:	fespe	d at	<u>/</u> K··	26(8/6		
Time	DP	エ	P	<u> </u>	WD	gos Filed	
20:12	305	80		45	561		
04:46		3	<u>ئان يۇ 2</u>	2.5	SW	/	
7.58			28.62				
13:45		82	2862	<¿-	NW	<i>i</i>	
19.45							

į.
CITY & STATE John Manuille
SITE ADDRESS Wachegen
PROJECT Malholtia SETE NO. 4
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 51669 39
START SAMPLING OF OS ST 20 12 mo day yr hr min CFM
STOP SAMPLING 08 06 83-19 45
ELAPSED TIME METER READING 2012 /502
WIND:calm,light,gus.y
VISIBILITY:h
SKY:clear,scattering ;
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE 'F:<20,20-40,
41-60, 61-80, >80
- Faceplate must be hand tight - Flowrate must be + 10% of established
flowrate - Faceplate gasket must be in good
condition / - Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be changed
avery 400 hrs of operation
Sample was collected in accordance
with the chove guidelines
Signature
REMARKS: 1214
BEGINNS.

Net Particulate Wgt.						_ grams	
Air Vo	lume					,3	
Particulate Concentration						g/m ³	
Total :	Sampling	g Time	hou	rs	minutes		
REMARK	s :						
Time	DP	<i>T</i>	P	WS	Q.D	Gassel	
20.23)4:51	18	78 31	28.59 28.59	45 0-5	580) -5wi	5	
7:55 13:50			2862 2862				
19.67	1.9						

erry 6 STATE Tohn Wlawille
TITE ADDRESS / Carkegan
ROJECT Malholton SITE NO. 5
NSTRUMENT LAST CALIBRATED
otor identification no. 3
OTAMETER IDENTIFICATION NO.
TILTER NUMBER 51669 38
TART SAMPLING OF 05 95 90 93 mo day yr he min cf.
TOP SAMPLING OF CAST 15 50
LAPSED TIME METER READING 20:23 19:5
IIND: calm, light, gusty
ISIBILITY: clear, hazy
KY:clear,scattering
overcast
UMIDITY:dry,moderate
- humid
EMPERATURE *F:<20,20-40,
41-60, 61-80, >80
Faceplate must be hand tight Flowrate must be ± 10% of established flowrate
Faceplate gasket must be in good condition
Rotameter must be free of foreign material
Rotameter operation must be stable. Sampler motor brushes must be changed
every 400 hrs of operation
Sample was collected in accordance with the above guidelines
XGU
Signature
REMARKS: 14C7 mills.

HI-VOL DATA RECORD Clayton Environmental Consultants, Inc.

25711 Southfield Road Southfield, Michigan 48075

HI-VOL DATA RECORD (Continued)

Net	Par	rticula	te Wg	t		 	grams
ALT	Vo I	lume					m 3
Tota	:l :	Samplin	g Tim	e ho	urs	minute	2 5
REMA	\RK!	S :		······································			
Tun	re	DP	I	P	WS	WD	
20-2	9	49	75	3815	45	ડહ્યું	
64:5	53		81	25.5	1 0-5	· 5w	
7 is	9		85	23.67	2 45	SH	
124:	כינ		82	રક દ	2 < 5	- NW	
0.0	υ	4.3					

STATION LOCATION CITY & STATE JOHN SITE ADDRESS LLa SITE NO. PROJECT Mal INSTRUMENT LAST CALIBRATED MOTOR IDENTIFICATION NO. ROTAMETER IDENTIFICATION NO. 5166940 FILTER NUMBER START SAMPLING OF OF ST hε min 20:00 STOP SAMPLING OF 06 80 mo day yr ELAPSED TIME METER READING 1178729 WIND: ____calm, ___light, ____ VISIBILITY: ____clear, ___ SKY: ____clear, ___ scattering overcast HUMIDITY: ____dry. ___ humid TEMPERATURE *F: ____<20, ____20-40, 41-60, _____61-80, __ - Faceplate must be hand tight Flowrate must be + 10% of established flowrate Faceplate gasket must be in good condition Rotameter must be free of foreign - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature REMARKS:

		Wgt.		gram m ³				
	Air Volume							
Total S	Sampling T	ime hour	rs mi	nutes				
REMARKS	S:							
	-							
Time	<u>AP</u>	TP	NS	MD				
19:36	4	5 28 35	<5 ⁻	sw				
05:05	8	23.59	0-5	Sui				
8.02	95	7862	45	SW				
14.55	82	28 62	< 5	NW				
18:38	2.0 78	2858						

HI-VOL DATA RECORD

CITY & STATE
SITE ADDRESS / Was Vacan
PROJECT Walnotton SITE NO. 7
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 19
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER A 5/66934
START SAMPLING CE 05 65 19 36
STOP SAMPLING OF OF ST 18 35 mo day yr hr min CFM
ELAPSED TIME METER READING 11353-4 1314
WIND: calm, light, gusty
VISIBILITY:clear,hazy
SKY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
humid
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flourate must be ± 10% of established flowrate
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be ± 10% of established flowrate - Faceplate gasket must be in good condition
humid TEMPERATURE °F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be ± 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign
humid TEMPERATURE *F: <20, 20-40. 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be ± 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance
humid TEMPERATURE *F:
humid TEMPERATURE *F: <20, 20-40. 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be ± 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance
humid TEMPERATURE *F:
humid TEMPERATURE *F: <20, 20-40, 41-60, 61-80, >80 - Faceplate must be hand tight - Flowrate must be + 10% of established flowrate - Faceplate gasket must be in good condition - Rotameter must be free of foreign material - Rotameter operation must be stable - Sampler motor brushes must be changed every 400 hrs of operation Sample was collected in accordance with the above guidelines Signature

Net Pa	rticul	ate Wg	t			_ grams
Air Vo	lume _					. m ³
Partic	ulate	Concen	tratio	n		μg/m ³
Total	Sampli	ng Tim	e ho	urs	minut	ė s
REMARK	s: <u>M</u>	مررسو ح	1 Le	lau	.w.	<u>. </u>
whi	يك	Com	oër-	1390	1822C	1.
					·	
	 				 	
Time	AP	I	P	<u>W5</u>	MD	
				45		
8:25	3.5	ç0 :	10.5	cal.		

HI-VOL DATA RECORD

STATION LOCATION CITY 6 STATE
SITE ADDRESS
PROJECT Malin Low SITE NO. 8
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO.
ROTAMETER IDENTIFICATION NO. A5146942
FILTER NUMBER
START SAMPLING OS OS ST 19 15 mo day yr hr min cr
stop sampling <u>CS 06 95 18 25</u> mo day yr hr min 182
ELAPSED TIME METER READING 113 H. 8
WIND:calm,light,gusty
VISIBILITY: clear, h
SKY:clear,scattering
overcast
HUMIDITY:dry,moderate
humid
TEMPERATURE *F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be ± 10% of established flowrate
- Faceplate gasket must be in good condition
 Rotameter must be free of foreign material
- Rotameter operation must be stable - Sampler motor brushes must be changed
every 400 hrs of operation
Sample was collected in accordance wigh the above guidelines
<u>Jean</u>
Signature
REMARKS: 13 36 E

HI-VOL DATA RECORD (Continued)

Net Part Air Volu	,									
Particulate Concentration										
Total Sa	mpling	Time	hours	minut	es					
REMARKS:										
Time	ΔP	Ţ	<u> P</u>	ME	MD					
19:25	3.7	78	28.55	45 Calm	SE					
8 is	3.0	90	Z2-2£	calm						

STATION LOCATION Take yrlani. He
SITE ADDRESS Liquilica
PROJECT Malholty SITE NO. Q
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 22
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER <u>A-5166943</u>
START SAMPLING 08 5 35 19 25 mo day yr hr min CFS
STOP SAMPLING 09 06 ST 18 15
ELAPSED TIME METER READING 11745 7
WIND: calm, tight, quary
VISIBILITY:clear,hazy
SKY:clear,scattering
overcast
HUMIDITY:dry,molecute
humid
TEMPERATURE "F:<20,20-40,
41-60,61-80,>a-)
- Faceplate must be hand tight
- Flowrate must be + 10% of established flowrate
- Faceplate gasket must be in good
condition - Rotameter must be free of foreign
material
- Rotameter operation must be stable - Sampler motor brushes must be changed
every 400 hrs of operation
Sample was collected in accordance
with the above guidelines.
Table 1
Signature
120. 9
REMARKS: 1530 /

			grams					
Air Volume m ³ Particulate Concentration µg/m ³								
Total S			Sampling Time hours		3 02			
REMARKS	i:		 			-		
								
Time	Δρ	T	P	w 5	W,D	- - -		
10:35	3.2	73		<5	S <i>G</i> J	1 / L		
15:01 8:12		85	2862 2862	45	EW			
14:10		3 -	-3					

STATION LOCATION CITY & STATE STATE STATE
SITE ADDRESS / Llas / Cercan
PROJECT Na natva SITE NO. 10
INSTRUMENT LAST CALIBRATED
MOTOR IDENTIFICATION NO. 12
ROTAMETER IDENTIFICATION NO.
FILTER NUMBER 5166941
START SAMPLING OF OF 85 20-36 mo day yr hr min CF
STOP SAMPLING OS OS ES 20.12 mo day yr hr min CF
ELAPSED TIME METER READING 11619 135
WIND: calm, light, gusty
VISIBILITY:clear,h
SKY:clear,scattering
overcast
HUMIDITY: dry, moderate
humid
TEMPERATURE 'F:<20,20-40,
41-60, 61-80, >80
 Faceplate must be hand tight Flowrate must be + 10% of escablished
flowrate - Faceplate gasket must be in good
condition - Rotameter must be free of foreign
material - Rotameter operation must be stable
- Sampler motor brushes must be changed every 400 hrs of operation
Sample was collected in accordance
with the above guidelines
Signature
REMARKS: 1364
REMARKS:

APPENDIX B FIELD DATA SUMMARY SHEETS

Ambient air analysis

Job number: 27735-13 Client: Malhotra

Location: Johns Manville City: Waukegan, Illinois Date: Aug 1-Aug 2, 1985

Site	Sampling time (min)	•	Delta H Average	Pump flo Start	owrate(SCFM) Stop	Total Vol	TSP (milligr)	Lead (milligr)	TSP (microgr. per cu.m)	Lead (microgr. per cu.m)	Filter Number
1 *	1455	21	3.4	59	59	2431.9	135.5	0.05	55.5	0.0123	5166922
2 ★	1299	11	1.45	87.5	97.5	3220.0	37. 3	0.04	11.4	0.0062	5166917
3 ★	825	7	2.45	81	81	1893.1	15.6	0.02	8.0	0.0060	5166921
4 *	1036	1	3.3	90	90	2641.4	19.6	0.02	7.2	0.0060	5166920
5 ★	1396	3	1.9	81	81	3203.4	40.5	0.05	12.5	0.0094	5166913
6	1460	25	3.5	51	51	2109.4	23.8	0.03	11.0	0.0060	5166923
7	1458	19	3.7	53	53	2189.1	67.9	0.05	30.8	0.0137	5163916
8	1459	20	3.9	55	55	2273.3	38.2	0.14	16.6	0.0528	5166918
9	1458	22	3.7	53	53	2189.1	28.2	0.05	12.7	0.0137	5166919
10 ★	1418	18	3.25	46	46	1847.9	18.5	0.04	9.7	0.0108	5166915

^{*} indicates the sites with generators

Ambient air analysis

Job number: 27735-13 Client: Malhotra

Location: Johns Manville City: Waukegan, Illinois Date: Aug 2-Aug 3, 1985

Site Number	Sampling time (min)	•	Delta H Average	Pump flo Start	owrate(SCFM) Stop	Total Vol	TSP (milligr)	Lead (milligr)	TSP (microgr. per cu.m)	Lead (microgr. per cu.m)	Filter Number
1 *	1395	21	4.2	56	56	2213.1	230.9	0.13	104.0	0.04970	5166933
2 ★	1129	11	1.5	90	90	2878.6	68.8	0.18	23.6	0.05558	5166932
3 ★	1433	4	2.1	81	81	3288.3	52.2	0.16	15.6	0.04257	5166931
4 🛧	1270	1	3.2	90	90	3238.1	41.4	0.14	12.5	0.03705	516 69 30
5 *	433	3	1.8	79	79	969.08	26	0.04	26.0	0.02063	5166926
6	1374	25	4.5	58	58	2257.6	74.8	0.11	32.8	0.03986	5166914
7	1344	19	3.9	54	54	2056.0	132.3	0.18	64.0	0.07781	5166928
8	1329	20	4.1	57	57	2146.0	51	0.25	23.4	0.10717	5166927
9.	1387	22	3.5	51	51	2003.9	74.8	0.11	36.9	0.04491	5166925
10 ★	1233	18	3.4	48	48	1676.6	33.7	0.07	19.6	0.02982	5166929

^{*} indicates sites with generators

Ambient air analysis

Job number: 27735-13 Client: Malhotra

Location: Johns Manville City: Waukegan, Illinois Date: Aug 5-Aug 6, 1985

Site	Sampling time (min)	•	Delta H Average	Pump flo Start	wrate(SCFM) Stop	Total Vol (cu. m)	TSP (milligr)	Lead (milligr)	TSP (microgr. per cu.m)	Lead (microgr. per cu.m)	Filter Number
1 *	1379	21	4.2	56	56	2187.7	144	0.07	65.4	0.02285	5166935
2 ★	1069	11	1.7	64	64	1938.2	78.6	0.09	40.0	0.03611	5166936
3 ★	1400	4	2.3	87	87	3450.5	100.4	0.09	28.8	0.02028	5166937
4 *	1214	1	3.1	90	90	7095.3	66.4	0.09	21.1	0.02261	5166939
5 ⊁	1407	3	1.9	81	81	3228.6	121.6	0.16	37.4	0.04336	5166938
6	1411	25	4.6	59	59	2358.4	85. 5	0.07	35.8	0.02120	5166940
7	1393	19	4.1	56	56	2209.9	72.4	0.04	32.3	0.00904	5166934
8	1381	20	3.3	51	51	1995.3	56.3	0.11	27.7	0.04510	5166942
9	1381	22	3.4	50	50	1956.1	46.7	0.04	23.4	0.01022	5166943
10 ★	1364	18	3.2	45	45	1738.8	54.6	0.04	30.8	0.0115	5166941

A indicates the sites with generators

APPENDIX C
METEOROLOGICAL DATA SUMMARY

METEOROLOGICAL DATA

August 1 - 2, 1985

Johns Manville Waukegan, IL

<u>Time</u>	Barometric Pressure (Hg)	Ambient Temperature (°F)	Wind Speed (m/s)	Wind Direction
11:32	28.80	80	7	NNW
16:00	. 28.81	68	5-6	N
19:50	28.82	67	< 5	S
00:20	28.82	65	< 5	S

METEOROLOGICAL DATA

August 2 - 3, 1985

Johns Manville Waukegan, IL

<u>Time</u>	Barometric Pressure (Hg)	Ambient Temperature (°F)	Wind Speed (m/s)	Wind Direction
08:33	28.90	65	Calm	
11:33	28.88	72	3	SW
15:45	28.86	72	3	WNW
18.58	28.79	65	Calm	
00:40	28.83	66	2	ESE
03:57	28.83	66	Calm	

~ ^

METEOROLOGICAL DATA

August 5 - 6, 1985

Johns Manville Waukegan, IL

Time	Barometric Pressure (Hg)	Ambient Temperature (°F)	Wind Speed (m/s)	Wind Direction
19:46	28.58	80	5	SW
04:15	28.59	81	5	SW
07:45	28.62	85	5	SW
13:30	28.62	82	5	NW
18:40	28.58	80	5	SE

- -

APPENDIX D

USEPA RECOMMENDED SAMPLING AND ANALYSIS PROCEDURES

ENVIRONMENTAL PROTECTION AGENCY REGULATIONS ON NATIONAL PRIMARY AND SECONDARY AMBIENT AIR QUALITY STANDARDS

(40 CFR 50; 36 FR 22384, November 25, 1971; as amended by Code of Federal Regulations, Volume 40, revised as of July 1, 1976; 41 FR 52686, December 1, 19 3 43 FR 46258, October 5, 1978; 44 FR 8220, February 8, 1979; 44 FR 37915, June 29, 1979; 46 FR 44163, September 3, 1981; 47 FR 54899, December 6, 1982; 48 FR 628. January 5, 1983; 48 FR 2529, January 20, 1983; Corrected by 48 FR 17355, April 22, 1983)

SUBCHAPTER C-AIR PROGRAMS

PART 50-NATIONAL PRIMARY AND SECONDARY AMBIENT AIR QUAL-ITY STANDARDS

Authority: Sec. 109, Clean Air Act, as amended 42 U.S.C. 7409.

§ 50.1 Definitions.

(a) As used in this part, all terms not defined herein shall have the meaning given them by the Act.

(b) "Act" means the Clean Air Act, as amended (42 U.S.C. 1857-1857l, as

amended by Pub. L. 91-604).
(c) "Agency" means th means the Environmental Protection Agency.

(d) "Administrator" means the Administrator of the Environmental Protection Agency.

(e) "Ambient air" means that portion of the atmosphere, external to buildings, to which the general public has access.

- (f) "Reference method" means a method of sampling and analyzing the ambient air for an air pollutant that is specified as a reference method in an appendix to this part, or a method that has been designated as a reference method in accordance with Part 53 of this chapter; it does not include a method for which a reference method designation has been cancelled in accordance with §53.11 or \$53.16 of this chapter.
- (g) "Equivalent method" means a method of sampling and analyzing the ambient air for an air pollutant that has been designated as an equivalent method in accordance with Part 53 of this chapter; it does not include a method for which an equivalent method designation has been cancelled in accordance with §53.11 or §53.16 of this chapter.
- (h) "Traceable" means that a local standard has been compared and certified either directly or via not more than one intermediate standard, to a grimary standard such as a National Bureau of Standards Standard Reference Material (NBS SRM), or a

USEPA/NBS-approved Certified Reference Material (CPM).

[50.1 (h) added by 48 FR 2529, January 20, 19831

§ 50.2 Scope.

(a) National primary and secondary ambient air quality standards under sec-[Amended by 48 FR 628, January 5, 1983] tion 109 of the Act are set forth in this

- (b) National primary ambient air quality standards define levels of air quality which the Administrator judges are necessary, with an adequate margin of safety, to protect the public health. National secondary ambient air quality standards define levels of air quality which the Administrator judges necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant. Such standards are subject to revision, and additional primary and secondary standards may be promulgated as the Administrator deems necessary to protect the public health and welfare.
- (c) The promulgation of national primary and secondary ambient air quality standards shall not be considered in any manner to allow significant deterioration of existing air goality in any portion of any State.
- (d) The proposal, promulgation, or revision of national primary and secondary ambient air quality standards shall not prohibit any State from establishing ambient air quality standthereof which are more stringent than the national standards.

§ 50.3 Reference conditions.

All measurements of air quality are corrected to a reference temperature of 25° C. and to a reference pressure of 760 millimeters of mercury (1,013.2 millibars).

\$ 50.4 National primary ambient air quality standards for sulfur oxides (sulfur dioxide).

The national primary ambient air quality standards for sulfur oxides annual geometric mean, as a guide to

measured as sulfur dioxide by the reference method described in Appendix A to this part, or by an equivalent method, are:

(a) 80 micrograms per cubic meter (0.03 p.p.m.)—annual arithmetic mean.

(b) 365 micrograms per cubic meter (0.14 p.p.m.)-Maximum 24-hour concentration not to be exceeded more than once per year.

\$50.5 National secondary ambient air quality standards for sulfur oxides (sulfur dioxide).

The national secondary ambient air quality standard for sulfur oxide measured as sulfur dioxide by the reference method described in Appendix A to this part, or by any equivalent method is 1,300 micrograms per cubic meter (0.5 p.p.m.) maximum 3-hour concentration not to be exceeded more than once per year.

\$ 50.6 National primary ambient air quality standards for particulate matter.

The national primary ambient air quality standards for particulate matter, measured by the reference method described in Appendix B to this part, or by an equivalent method.

- (a) 75 micrograms per cubic meterannual geometric mean.
- (b) 260 micrograms per cubic ards for that State or any portion meter-maximum 24-hour concentration not to be exceeded more than once per year.
 - § 50.7 National secondary ambient air quality standards for particulate matter.

The national secondary ambient air quality standards for particulate matter, measured by the reference method described in Appendix B to this part, or by an equivalent method,

(a) 60 micrograms per cubic meter-

17

and Its Anomalous Behavior in Tetrachloromercurate (II). Submitted for publication in Atmosphere Environment, 1982.

- 4. West, P. W., and G. C. Gaeke. Fixation of Sulfur Dioxide as Disulfitomercurate (II) and Subsequent Colorimetric Estimation. Anal. Chem., 28:1816, 1956.
- 5. Ephraim, F. Inorganic Chemistry. P. C. L. Thorne and E. R. Roberts, Eds., 5th Edition, Interscience, 1948, p. 562.
- 6. Lyles, G. R., F. B. Dowling, and V. J. Blanchard. Quantitative Determination of Formaldehyde in the Parts Per Hundred Million Concentration Level. J. Air. Poll. Cont. Assoc., Vol. 15(106), 1965.
- 7. McKee, H. C., R. E. Childers, and O. Saenz, Jr. Collaborative Study of Reference Method for Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline Method). EPA-APTD-0903, U.S. Environmental Protection Agency, Research Triangle Park. North Carolina 27711, September 1971.
- & Urone, P., J. B. Evans, and C. M. Noyes. Tracer Techniques in Sulfur—Air Pollution Studies Apparatus and Studies of Sulfur Dioxide Colorimetric and Conductometric Methods. Anal. Chem., 37: 1104, 1965.

9. Bostrom, C. E. The Absorption of Sulfur Dioxide at Low Concentrations (pphm) Studied by an Isotopic Tracer Method. Intern. J. Air Water Poll., 9:333, 1965.

10. Scaringelli, F. P., B. E. Saltzman, and S. A. Frey. Spectrophotometric Determination of Atmospheric Sulfur Dioxide. Anal. Chem., 39: 1709, 1967,

11. Pate, J. B., B. E. Ammons, G. A. Swanson, and J. P. Lodge, Jr. Nitrite Interference in Spectrophotometric Determination of Atmospheric Sulfur Dioxide. Anal. Chem., 37:942, 1965.

12. Zurlo, N., and A. M. Griffini. Measurement of the Sulfur Dioxide Content of the Air in the Presence of Oxides of Nitrogen and Heavy Metals. Medicina Lavoro, 53:330, 1962.

13. Rehme, K. A., and F. P. Scaringelli. Effect of Ammonia on the Spectrophotometric Determination of Atmospheric Concentrations of Sulfur Dioxide Anal. Chem., 47:2474, 1975.

14. McCoy, R. A., D. E. Camann, and H. C. McKee. Collaborative Study of Reference Method for Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline Method) (24-Hour Sampling). EPA-650/4-74-027, U.S. Environmental Protection Agency, Research Triangle Park. North Carolina 27711. December 1973.

15. Fuerst, R. G. Improved Temperature Stability of Sulfur Dioxide Samples Collected by the Federal Reference Method. EPA-600/ 4-78-018, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711, April 1978.

16. Scaringelli, F. P., L. Elfers, D. Norris. and S. Hochheiser. Enhanced Stability of Sulfur Dioxide in Solution. Anal. Chem., 42:1818, 1970,

17. Martin, B. E. Sulfur Dioxide Bubbler Temperature Study. EPA-600/4-77-040, U.S. Environmental Protection Agency. Research Triangle Park, North Carolina 27711, August

18. American Society for Testing and Materials. ASTM Standards. Water: Atmospheric Analysis. Part 23. Philadelphia. Pennsylvania, October 1968, p. 226.

19. O'Keeffe, A. E., and G. C. Ortman. Primary Standards for Trace Gas Analysis. Anal. Chem., 38:760, 1966.

20. Scaringelli, F. P., S. A. Frey, and B. E. Saltzman. Evaluation of Teflon Permeation Tubes for Use with Sulfur Dioxide. Amer. Ind. Hygiene Assoc. J., 28:260, 1967.

21. Scaringelli, F. P., A. E. O'Keeffe, E. Rosenberg, and J. P. Bell, Preparation of Known Concentrations of Gases and Vapors With Permeation Devices Calibrated Gravimetrically, Anal. Chem., 42:871, 1970.

22. A Procedure for Establishing Traceability of Cas Mixtures to Certain National Bureau of Standards Standard Reference Materials. EPA-600/7-81-010, U.S. Environmental Protection Agency. **Environmental Monitoring Systems** Laboratory (MD-77), Research Triangle Park. North Carolina 27711, January 1981.

Appendix B-Reference Method for the **Determination of Suspended Particulate** Matter in the Atmosphere (High-Volume Method)

[Appendix B revised by 47 FR 54899, December 6, 1982]

1.0 Applicability.

1.1 This method provides a measurement of the mass concentration of total suspended particulate matter (TSP) in ambient air for determining compliance with the primary and secondary national ambient air quality standards for particulate matter as specified in § 50.6 and § 50.7 of this chapter. The measurement process is nondestructive, and the size of the sample collected is usually adequate for subsequent chemical analysis. Quality assurance procedures and guidance are provided in Part 58. Appendixes A and B. of this chapter and in References 1 and 2.

2.0 Principle.

2.1 An air sampler, properly located at the measurement site, draws a measured quantity of ambient air into a covered housing and through a filter during a 24-hr (nominal) sampling period. The sampler flow rate and the geometry of the shelter favor the collection of particles up to 25-50 μm (aerodynamic diameter), depending on wind speed and direction (3) The filters used are specified to have a minimum collection

efficiency of 99 percent for 0.3 µm (DOP) particles (see Section 7.1.4).

2.2 The filter is weighed (after moisture equilibration) before and after use to determine the net weight (mass) gain. The total volume of air sampled, corrected to EPA standard conditions (25° C, 760 mm Hg [101 kPa]), is determined from the measured flow rate and the sampling time. The concentration of total suspended particulate matter in the ambient air is computed as the mass of collected particles divided by the volume of air sampled, corrected to standard conditions, and is expressed in micrograms per standard cubic meter (µg/std m). For samples collected at temperatures and pressures significantly different than standard conditions, these corrected concentrations may differ substantially from actual concentrations (micrograms per actual cubic meter), particularly at high elevations. The actual particulate matter concentration can be calculated from the corrected concentration using the actual temperature and pressure during the sampling period.

3.0 Range.

3.1 The approximate concentration range of the method is 2 to 750 µg/std m3. The upper limit is determined by the point at which the sampler can no longer maintain the specified flow rate due to the increased pressure drop of the loaded filter. This point is affected by particle size distribution, moisture content of the collected particles. and variability from filter to filter, among other things. The lower limit is determined by the sensitivity of the balance (see Section 7.10) and by inherent sources of error (see Section 6).

3.2 At wind speeds between 1.3 and 4.5 m/sec (3 and 10 mph), the high-volume air sampler has been found to collect particles up to 25 to 50 μ m. depending on wind speed and direction.(3) For the filter specified in Section 7.1, there is effectively no lower limit on the particle size collected.

4.0 Precision. 4.1 Based upon collaborative testing, the relative standard deviation (coefficient of variation) for single analyst precision (repeatability) of the method is 3.0 percent. The corresponding value for interlaboratory

precision (reproducibility) is 3.7 percent.(4) 5.0 Accuracy.

- 5.1 The absolute accuracy of the method is undefined because of the complex nature of atmospheric particulate matter and the difficulty in determining the "true" particulate matter concentration. This method provides a measure of particulate matter concentration suitable for the purpose specified under Section 1.0. Applicability.
 - 6.0 Inherent Sources of Error.
- 6.1 Airflow variation. The weight of material collected on the filter represents the (integrated) sum of the product of the instantaneous flow rate times the

[Appendix B]

instantaneous particle concentration. Therefore, dividing this weight by the average flow rate over the sampling period yields the true particulate matter concentration only when the flow rate is constant over the period. The error resulting from a nonconstant flow rate depends on the magnitude of the instantaneous changes in the flow rate and in the particulate matter concentration. Normally, such errors are not large, but they can be greatly reduced by controlling mechanism that maintains constant flow during the sampling period. Use of a contant flow controller is recommended.*

6.2 Air volume measurement. If the flow rate changes substantially or nonuniformly during the sampling period, appreciable error in the estimated air volume may result from using the average of the presampling and postsampling flow rates. Greater air volume measurement accuracy may be achieved by (1) equipping the sampler with a flow controlling mechanism that maintains constant air flow during the sampling period,* (2) using a calibrated, continuous flow rate recording device to record the actual flow rate during the samping period and integrating the flow rate over the period. or (3) any other means that will accurately measure the total air volume sampled during the sampling period. Use of a continuous flow recorder is recommended, particularly if the sampler is not equipped with a constant flow controller.

6.3 Loss of volatiles. Volatile particles collected on the filter may be lost during subsequent sampling or during shipment and/ or storage of the filter prior to the postsampling weighing.(5) Although such losses are largely unavoidable, the filter should be reweighed as soon after sampling as practical.

64 Artifact particulate matter. Artifact particulate matter can be formed on the surface of alkaline glass fiber filters by oxidation of acid gases in the sample air, resulting in a higher than true TSP determination.(8.7) This effect usually occurs early in the sample period and is a function of the filter pH and the presence of acid gases. It is generally believed to account for only a small percentage of the filter weight gain, but the effect may become more significant where relatively small particulate weights are collected.

6.5 Humidity. Glass fiber filters are comparatively insensitive to changes in

relative humidity, but collected particulate matter can be hygroscopic.(8) The moisture conditioning procedure minimizes but may not completely eliminate error due to 6.6 Filter handling. Careful handling of

the filter between the presampling and postsampling weighings is necessary to avoid errors due to loss of fibers or particles from the filter. A filter paper cartridge or cassette used to protect the filter can minimize handling errors. (See Reference 2, Section 2).

6.7 Nonsampled particulate matter. Particulate matter may be deposited on the filter by wind during periods when the sampler is inoperative. (9) It is recommended that errors from this source be minimized by an automatic mechanical device that keeps the filter covered during nonsampling periods, or by timely installation and retrieval of filters to minimize the nonsampling periods prior to and following

6.8 Timing errors. Samplers are normally controlled by clock timers set to start and stop the sampler at midnight. Errors in the nominal 1.440-min sampling period may result from a power interruption during the sampling period or from a discrepancy between the start or stop time recorded on the filter information record and the actual start or stop time of the sampler. Such discrepancies may be caused by (1) poor resolution of the timer set-points. (2) timer error due to power interruption, (3) missetting of the timer, or (4) timer malfunction. In general, digital electronic timers have much better set-point resolution than mechanical timers, but require a battery backup system to maintain continuity of operation after a power interruption. A continuous flow recorder or elapsed time meter provides an indication of the sampler run-time, as well as indication of any power interruption during the sampling period and is therefore recommended.

6.9 Recirculation of sampler exhaust. Under stagnant wind conditions, sampler exhaust air can be resampled. This effect does not appear to affect the TSP measurement substantially, but may result in increased carbon and copper in the collected sample. (10) This problem can be reduced by ducting the exhaust air well away, preferably downwind, from the sampler.

7.0 Apparatus.

(See References 1 and 2 for quality assurance information.)

Note.-Samplers purchased prior to the effective date of this amendment are not subject to specifications preceded by (†).

7.1 Filter. (Filters supplied by the Environmental Protection Agency can be assumed to meet the following criteria.

Additional specifications are required if the sample is to be analyzed chemically.)

7.1.1 Size: $20.3 \pm 0.2 \times 25.4 \pm 0.2$ cm (nominal 8×10 in).

7.1.2 Nominal exposed area: 408.5 cm² (63 in 2}.

7.1.3. Material: Glass fiber or other relatively inert, nonhygroscopic material. (8)

7.1.4 Collection efficiency: 99 percent minimum as measured by the DOP test (ASTM-2986) for particles of 0.3 µm diameter.

7.1.5 Recommended pressure drop range: 42-54 mm Hg (5.8-7.2 kPa) at a flow rate of 1.5 std m3/min through the nominal exposed агеа.

pH: 6 to 10. (11) 7.1.6

7.1.7 Integrity: 2.4 mg maximum weight loss. (11)

7.1.8 Pinholes: None.

7.1.9 Tear strength: 500 g minimum for 20 mm wide strip cut from filter in weakest dimension. (See ASTM Test D828-60).

7.1.10 Brittleness: No cracks or material separations after single lengthwise crease.

7.2 Sampler. The air sampler shall provide means for drawing the air sample. via reduced pressure, through the filter at a uniform face velocity.

7.2.1 The sampler shall have suitable means to:

a. Hold and seal the filter to the sampler housing.

b. Allow the filter to be changed conveniently.

c. Preclude leaks that would cause error in the measurement of the air volume passing through the filter.

d. (†) Manually adjust the flow rate to accommodate variations in filter pressure drop and site line voltage and altitude. The adjustment may be accomplished by an automatic flow controller or by a manual flow adjustment device. Any manual adjustment device must be designed with positive detents or other means to avoid unintentional changes in the setting

7.2.2 Minimum sample flow rate, heavily loaded filter: 1.1 m 3/min (39 ft 3/min).

7.2.3 Maximum sample flow rate, clean filter: 1.7 m³/min (60 ft³/min).**

7.2.4 Blower Motor: The motor must be capable of continuous operation for 24-hr periods.

7.3 Sampler shelter.

automatic flow controllers may be reduced because of a reduction in the maximum sampler flow.

*At elevated altitudes, the effectiveness of

(Appendix B)

equipping the sampler with an automatic flow

^(†) See note at beginning of Section 7.

[&]quot;These specifications are in actual air volume units: to convert to EPA standard air volume units. multiply the specifications by $(P_{\bullet}/P_{ste})[298/T]$ where P_{\bullet} and T are the barometric pressure in mm Hg [or kPa) and the temperature in K at the sampler, and P. is 760 mm Hg (or 101 kPa).

7.3.1 The sampler shelter shall:

a. Maintain the filter in a horizontal position at least 1 m above the sampler supporting surface so that sample air is drawn downward through the filter.

b. Be rectangular in shape with a gabled roof, similar to the design shown in Figure 1.

c. Cover and protect the filter and sampler from precipitation and other weather.

d. Discharge exhaust air at least 40 cm from the sample air inlet.

e. Be designed to minimize the collection of dust from the supporting surface by incorporating a baffle between the exhaust outlet and the supporting surface.

- 7.3.2 The sampler cover or roof shall overhang the sampler housing somewhat, as shown in Figure 1, and shall be mounted so as to form an air inlet gap between the cover and the sampler housing walls. 'This sample air inlet should be approximately uniform on all sides of the sampler. 'The area of the sample air inlet must be sized to provide an effective particle capture air velocity of between 20 and 35 cm/sec at the recommended operational flow rate. The capture velocity is the sample air flow rate divided by the inlet area measured in a horizontal plane at the lower edge of the cover. *Ideally, the inlet area and operational flow rate should be selected to obtain a capture air velocity of 25 ± 2 cm/sec.
 - 7.4 Flow rate measurement devices.
- 7.4.1 The sampler shall incorporate a flow rate measurement device capable of indicating the total sampler flow rate. Two common types of flow indicators covered in the calibration procedure are (1) an electronic mass flowmeter and (2) an orifice or orifices located in the sample air stream together with a suitable pressure indicator such as a manometer, or aneroid pressure gauge. A pressure recorder may be used with an orifice to provide a continuous record of the flow. Other types of flow indicators (including rotameters) having comparable precision and accuracy are also acceptable.

accuracy are also acceptable.
7.4.2 The flow rate measurement device must be capable of being calibrated and read in units corresponding to a flow rate which is readable to the nearest 0.02 std m³/min over the range 1.0 to 1.8 std m³/min.

7.5 Thermometer, to indicate the approximate air temperature at the flow rate measurement orifice, when temperature corrections are used.

7.5.1 Range: -40° to ±50° C (223-323 K).

7.5.2 Resolution: 2° C (2 K).

7.6 Barometer, to indicate barometric pressure at the flow rate measurement orifice, when pressure corrections are used.

7.6.1 Range: 500 to 800 mm Hg (66-106 kPa).

7.6.2 Resolution: ±5 mm Hg (0.67 kPa).
7.7 Timing/control device.

(1) See note at beginning of Section 7.

7.7.1 The timing device must be capable of starting and stopping the sampler to obtain an elapsed run-time of 24 hr ± 1 hr (1.440 ± 60 min).

7.7.2 Accuracy of time setting: ± 30 min, or better. (See Section 6.8).

7.8 Flow rate transfer standard, traceable to a primary standard. (See Section 9.2).

7.8.1 Approximate range: 1.0 to 1.8 m³/min.

7.8.2 Resolution: 0.02 m³/min.

7.8.3 Reproducibility: ±2 percent (2 times coefficient of variation) over normal ranges of ambient temperature and pressure for the stated flow rate range. (See Reference 2, Section 2.)

7.8.4 Maximum pressure drop at 1.7 std m³/min; 50 cm H₂O (5 kPa).

7.8.5 The flow rate transfer standard must connect without leaks to the inlet of the sampler and measure the flow rate of the total air sample.

7.8.6 The flow rate transfer standard must include a means to vary the sampler flow rate over the range of 1.0 to 1.8 m³/min (35–64 ft³/min) by introducing various levels of flow resistance between the sampler and the transfer standard inlet.

7.8.7 The Conventional type of flow transfer standard consists of: An orifice unit with adapter that connects to the inlet of the sampler, a manometer or other device to measure orifice pressure drop, a means to vary the flow through the sampler unit, a thermometer to measure the ambient temperature, and a barometer to measure ambient pressure. Two such devices are shown in Figures 2a and 2b. Figure 2a shows multiple fixed resistance plates, which necessitate disassembly of the unit each time the flow resistance is changed. A preferable design, illustrated in Figure 2b. has a variable flow restriction that can be adjusted externally without disassembly of the unit. Use of conventional, orifice-type transfer standard is assumed in the calibration procedure (Section 9). However, the use of other types of transfer standards meeting the above specifications, such as the one shown in Figure 2c. may be approved; see the note following Section 9.1.

7.9 Filter conditioning environment
7.9.1 Controlled temperature: between 15° and 30° C with less than ± 3° C variation during equilibration period.

[Corrected by 48 FR 17355 April 22]

[Corrected by 48 FR 17355, April 22, 1983]

7.9.2 Controlled humidity: Less than 50 percent relative humidity. constant within ± 5 percent.

7.10 Analytical balance.

7.10.1 Sensitivity: 0.1 mg.

7.10.2 Weighing chamber designed to accept an unfolded 20.3 x 25.4 cm (8 x 10 in) filter.

7.11 Area light source, similar to X-ray film viewer, to backlight filters for visual inspection.

7.12 Numbering device, capable of printing identification numbers on the filters before they are placed in the filter conditioning environment, if not numbered by the supplier.

8.0 Procedure.

(See References 1 and 2 for quality assurance information.)

8.1 Number each filter, if not already numbered, near its edge with a unique identification number.

8.2 Backlight each filter and inspect for pinholes, particles, and other imperfections; filters with visible imperfections must not be used.

8.3 Equilibrate each filter in the

conditioning environment for at least 24-hr. 8.4 Following equilibration, weigh each filter to the nearest milligram and record this tare weight (W₁) with the filter identification number.

8.5 Do not bend or fold the filter before collection of the sample.

8.6 Open the shelter and install a numbered, preweighted filter in the sampler, following the sampler manufacturer's instructions. During inclement weather, precautions must be taken while changing filters to prevent damage to the clean filter and loss of sample from or damage to the exposed filter. Filter cassettes that can be loaded and unloaded in the laboratory may be used to minimize this problem (See Section 6.6).

[Corrected by 48 FR 17355, April 22, 1983]

8.7 Close the shelter and run the sampler for at least 5 min to establish run-temperature conditions.

8.8 Record the flow indicator reading and, if needed, the barometric pressure (P₃) and the ambient temperature (T₃) see NOTE following step 8.12). Stop the sampler. Determine the sampler flow rate (see Section 10.1): if it is outside the acceptable range (1.1 to 1.7 m³/min [39-60 ft³/min]), use a different filter, or adjust the sampler flow rate. Varning: Substantial flow adjustments may affect the calibration of the orifice-type flow indicators and may necessitate recalibration.

8.9 Record the sampler identification information (filter number, site location or identification number, sample date, and starting time).

8.10 Set the timer to start and stop the sampler such that the sampler runs 24hrs, from midnight to midnight (local time).

[Corrected by 48 FR 17355, April 22, 1983]

^{?&}quot; These specifications are in actual sir volume units; to convert to EPA standard air volume units, multiply the specifications by $(P_{u}/P_{sub})(298/T)$ where P_{u} and T are the barometric pressure in mm Hg (or kPa) and the temperature in K at the sampler, and P_{sub} is 760 mm Hg (or 101 kPa).

8.11 As soon as practical following the sampling period, run the sampler for at least 5 min to again establish run-temperature conditions.

8.12 Record the flow indicator reading and, if needed, the barometric Pressure (P₃) and the ambient temperature (T₃).

Note.-No onsite pressure or temperature measurements are necessary if the sampler flow indicator does not require pressure or temperature corrections (e.g., a mass flowmeter) or if average barometric pressure and seasonal average temperature for the site are incorporated into the sampler calibration (see step 9.3.9). For individual pressure and temperature corrections, the ambient pressure and temperature can be obtained by onsite measurements or from a nearby weather station. Barometric pressure readings obtained from airports must be station pressure, not corrected to sea level, and may need to be corrected for differences in elevation between the sampler site and the airport. For samplers having flow recorders but not constant flow controllers, the average temperature and pressure at the site during the sampling period should be estimated from weather bureau or other available data.

8.13 Stop the sampler and carefully remove the filter, following the sampler manufacturer's instructions. Touch only the outer edges of the filter. See the precautions in step 8.6.

8.14 Fold the filter in half lengthwise so that only surfaces with collected particulate matter are in contact and place it in the filter holder (glassine envelope or manila folder).

8.15 Record the ending time or elapsed time on the filter information record, either from the stop set-point time, from an elapsed time indicator, or from a continuous flow record. The sample period must be 1,440 \pm 60 min. for a valid sample.

8.16 Record on the filter information record any other factors, such as meteorological conditions, construction activity, fires or dust storms, etc., that might be pertinent to the measurement. If the sample is known to be defective, void it at this time.

8.17 Equilibrate the exposed filter in the conditioning environment for at least 24-hrs.

8.18 Immediately after equilibration, reweigh the filter to the nearest milligram and record the gross weight with the filter identification number. See Section 10 for TSP concentration calculations.

9.0 Calibration.

9.1 Calibration of the high volume sampler's flow indicating or control device is necessary to establish traceability of the field measurement to a primary standard via a flow rate transfer standard. Figure 3a illustrates the certification of the flow rate transfer standard and Figure 3b illustrates its use in calibrating a sampler flow indicator. Determination of the corrected flow rate from the sampler flow indicator, illustrated in Figure 3c, is addressed in Section 10.1

Note.—The following calibration procedure applies to a conventional orifice-type flow transfer standard and an orifice-type flow indicator in the sampler (the most common types). For samplers using a pressure recorder having a square-root scale, 3 other acceptable calibration procedures are provided in Reference 12. Other types of transfer standards may be used if the manufacturer or user provides an appropriately modified calibration procedure that has been approved by EPA under Section 2.8 of Appendix C to Part 58 of this chapter.

9.2 Certification of the flow rate transfer standard.

9.2.1 Equipment required: Positive displacement standard volume meter traceable to the National Bureau of Standards (such as a Roots meter or equivalent), stop-watch, manometer, thermometer, and barometer.

9.2.2 Connect the flow rate transfer standard to the inlet of the standard volume meter. Connect the manometer to measure the pressure at the inlet of the standard volume meter. Connect the orifice manometer to the pressure tap on the transfer standard. Connect a high-volume air pump (such as a high-volume sampler blower) to the outlet side of the standard volume meter. See Figure 3a.

9.2.3 Check for leaks by temporarily clamping both manometer lines (to avoid fluid loss) and blocking the orifice with a large-diameter rubber stopper, wide cellophane tape, or other suitable means. Start the high-volume air pump and note any change in the standard volume meter reading. The reading should remain constant. If the reading changes, locate any leaks by listening for a whistling sound and/or retightening all connections, making sure that all gaskets are properly installed.

9.2.4 After satisfactorily completing the leak check as described above, unclamp both manometer lines and zero both manometers.

9.2.5 Achieve the appropriate flow rate through the system, either by means of the variable flow resistence in the transfer standard or by varying the voltage to the air pump. (Use of resistance plates as shown in Figure 1a is discouraged because the above leak check must be repeated each time a new resistance plate is installed.) At least five different but constant flow rates, even distributed, with at least three in the specified flow rate interval (1.1 to 1.7 m³/min [39-60 ft ³/min]), are required.

9.2.6 Measure and record the certification data on a form similar to the one illustrated in Figure 4 according to the following steps.

9.2.7 Observe the barometric pressure and record as P₁ (item 8 in Figure 4).

9.2.8 Read the ambient temperature in the vicinity of the standard volume meter and record it as T_1 (item 9 in Figure 4).

9.2.9 Start the blower motor, adjust the flow, and allow the system to run for at least 1 min for a constant motor speed to be attained.

9.2.10 Observe the standard volume meter reading and simultaneously start a stopwatch. Record the initial meter reading (V_i) in column 1 of Figure 4.

9.2.11 Maintain this constant flow rate until at least 3 m³ of air have passed through the standard volume meter. Record the standard volume meter inlet pressure manometer reading as ΔP (column 5 in Figure 4), and the orifice manometer reading as ΔH (column 7 in Figure 4). Be sure to indicate the correct units of measurement.

9.2.12 After at least 3 m³ of air have passed through the system, observe the standard volume meter reading while simultaneously stopping the stopwatch. Record the final meter reading $\{V_t\}$ in column 2 and the elapsed time $\{t\}$ in column 3 of Figure 4.

9.2.13 Calculate the volume measured by the standard volume meter at meter conditions of temperature and pressures as $V_m = V_t - V_t$. Record in column 4 of Figure 4.

9.2.14 Correct this volume to standard volume (std m?) as follows:

$$V_{std} = V_m \frac{P_1 - \Delta P}{P_{std}} \frac{T_{std}}{T_1}$$

vhere:

Veta = standard volume, std m3.

V_m = actual volume measured by the standard volume meter;

P₁ = barometric pressure during calibration. mm Hg or kPa;

ΔP=differential pressure at inlet to volume meter, mm Hg or kPa;

P_{std}=760 mm Hg or 101 kPa;

T_{std} = 298 K;

T₁ = ambient temperature during calibration.
K.

Calculate the standard flow rate (std m³/min) as follows:

$$Q_{std} = \frac{V_{std}}{t}$$

where:

Q_{std} = standard volumetric flow rate, std m³/

t=elapsed time, minutes.

Record Q_{std} to the nearest 0.01 std m //min in column 6 of Figure 4.

9.2.15 Repeat steps 9.2.9 through 9.2.14 for at least four additional constant flow rates. evenly spaced over the approximate range of 1.0 to 1.8 std m³/min (35-64 ft³/min).

9.2.16 For each flow, compute

 $\sqrt{\Delta H \left(P_1/P_{\text{eld}}\right)(298/T_1)}$

(column 7a of Figure 4) and plot these value against Q_{std} as shown in Figure 3a. Be sure to use consistent units (mm Hg or kPa) for

[Appendix B]

barometric pressure. Draw the orifice transfer standard certification curve or calculate the linear least squares slope (m) and intercept (b) of the certification curve:

 $\sqrt{\Delta H (P_i/P_{std})(298/T_i)}$

= mQ_{std} + b. See Figures 3 and 4. A certification graph should be readable to 0.02 std m³/min.

9.2.17 Recalibrate the transfer standard annually or as required by applicable quality control procedures. (See Reference 2.)

9.3 Calibration of sampler flow indicator,
Note.—For samplers equipped with a flow
controlling device, the flow controller must
be disabled to allow flow changes during
calibration of the sampler's flow indicator, or
the alternate calibration of the flow controller
given in 9.4 may be used. For samplers using

an orifice-type flow indicator downstream of the motor, do not vary the flow rate by adjusting the voltage or power supplied to the sampler.

9.3.1 A form similar to the one illustrated in Figure 5 should be used to record the calibration data.

, 9.3.2 Connect the transfer standard to the inlet of the sampler. Connect the orifice manometer to the orifice pressure tap, as illustrated in Figure 3b. Make sure there are no leaks between the orifice unit and the sampler.

9.3.3. Operate the sampler for at least 5 minutes to establish thermal equilibrium prior to the calibration.

9.3.4 Measure and record the ambient temperature, T₂, and the barometric pressure. P₂, during calibration.

9.3.5 Adjust the variable resistance or, if applicable, insert the appropriate resistance plate (or no plate) to achieve the desired flow rate.

9.3.6 Let the sampler run for at least 2 min to re-establish the run-temperature conditions. Read and record the pressure drop across the orifice (ΔH) and the sampler

flow rate indication (I) in the appropriate columns of Figure 5.

9.3.7 Calculate $\sqrt{\Delta H(P_2/P_{sta})}(298/T_3)$ and determine the flow rate at standard conditions $\{Q_{sta}\}$ either graphically from the certification curve or by calculating Q_{sta} from the least square slope and intercept of the transfer standard's transposed certification curve: $Q_{sta}=1/m\ \sqrt{\Delta H(P_2/P_{sta})}(298/T_3)-b$. Record the value of Q_{sta} on Figure 5. [Corrected by 48 FR 17355, April 22, 1983]

9.3.8 Repeat steps 9.3.5, 9.3.6, and 9.3.7 for several additional flow rates distributed over a range that includes 1.1 to 1.7 std m³/min.

9.3.9 Determine the calibration curve by plotting values of the appropriate expression involving I, selected from Table 1, against Q_{std}. The choice of expression from Table 1 depends on the flow rate measurement device used (see Section 7.4.1) and also on whether the calibration curve is to incorporate geographic average barometric pressure.(Pa) and seasonal average temperature (Ta) for the site to approximate actual pressure and temperature. Where P. and T. can be determined for a site for a seasonal period such that the actual barometric pressure and temperature at the site do not vary by more than ±60 mm Hg (8 kPa) from P. or ±15° C from T. respectively. then using Pa and Ta avoids the need for subsequent pressure and temperature calculation when the sampler is used. The geographic average barometric pressure (Pa) may be estimated from an altitude-pressure table or by making an (approximate) elevation correction of -26 mm Hg (-3.46 kPa) for each 305 m (1,000 ft) above sea level (760 mm Hg or 101 kPa). The seasonal average temperature (T.) may be estimated from weather station or other records. Be sure to use consistent units (mm Hg or kPa) for barometric pressure. [Corrected by 48 FR 17355, April 22,

9.3.10 Draw the sampler calibration curve or calculate the linear least squares slope

(m). intercept (b), and correlation coefficient of the calibration curve: [Expression from Table 1] = $mQ_{std} + b$. See Figures 3 and 5. Calibration curves should be readable to 0.02 std m³/min.

9.3.11 For a sampler equipped with a flow controller, the flow controlling mechanism should be re-enabled and set to a flow near the lower flow limit to allow maximum control range. The sample flow rate should be verified at this time with a clean filter installed. Then add two or more filters to the sampler to see if the flow controller maintains a constant flow: this is particularly important at high altitudes where the range of the flow controller may be reduced.

9.4 Alternate calibration of flow-controlled samplers. A flow-controlled sampler may be calibrated solely at its controlled flow rate, provided that previous operating history of the sampler demonstrates that the flow rate is stable and reliable. In this case, the flow indicator may remain uncalibrated but should be used to indicate any relative change between initial and final flows, and the sampler should be recalibrated more often to minimize potential loss of samples because of controller malfunction.

9.4.1 Set the flow controller for a flow near the lower limit of the flow range to allow maximum control range.

9.4.2 Install a clean filter in the sampler and carry out steps 9.3.2, 9.3.3, 9.3.4, 9.3.6, and 9.3.7.

9.4.3 Following calibration, add one or two additional clean filters to the sampler, reconnect the transfer standard, and operate the sampler to verify that the controller maintains the same calibrated flow rate; this is particularly important at high altitudes where the flow control range may be reduced.

TABLE 1. EXPRESSIONS FOR PLOTTING SAMPLER CALIBRATION CURVES

	Expression					
Type of sampler flow rate measuring device	For actual pressure and temperature corrections	For incorporation of geographic average pressure and seasonal average temperature				
Mass flowmeter	1	. I				
Orifice and \$/essure indicator	$\sqrt{I\left(\frac{\rho_2}{\rho_{std}}\right)\!\!\left(\!\frac{298}{T_2}\!\right)}$	$\sqrt{I\left(\frac{P_2}{P_\bullet}\right)\left(\frac{T_\bullet}{T_2}\right)}$				
Rotameter, or orifice and pressure recorder having square root scale*	$I \sqrt{\frac{P_2}{P_{\text{std}}} \left(\frac{298}{T_2}\right)}$	$I\sqrt{\frac{\binom{P_2}{P_a}\binom{T_a}{T_2}}{T_2}}$				

This scale is recognizable by its nonuniform divisions and is the most commonly available for high-volume samplers.

TABLE 2. EXPRESSIONS FOR DETERMINING FLOW RATE DURING SAMPLER OPERATION

	E	xpression		
Type of sampler flow rate measuring device	For actual pressure and temperature corrections	For use when geographic everage pressure and seasonal average temperature have been incorporated into the sampler calibration		
Mass flowmeter	I	1		
Orifice and pressure indicator	$\sqrt{1\left(\frac{P_3}{P_{\text{std}}}\right)\!\!\left(\!\frac{298}{T_3}\!\right)}$	√T		
Rotameter, or orifice and pressure recorder having square root scale	$I\sqrt{\frac{P_3}{P_{std}}\left(\frac{298}{T_3}\right)}$	1		

This scale is recognizable by its nonuniform divisions and is the most commonly available for high-volume samplers,

0 Calculations of TSP Concentration. Determine the average sampler flow

reducing the sampling period according to *, + (\$1.1 or 10.1.2 below.

314 For a sampler without a continuous a recorder, determine the appropriate pression to be used from Table 2 asponding to the one from Table 1 used in 3.9.3.9 Using this appropriate expression. response Qua for the initial flow rate from sampler calibration curve, either phically or from the transposed regression

1 Appropriate expression from Table 21-b)

milarly, determine Qsta from the final flow edding, and calculate the average flow Qsta one-half the sum of the initial and final aw rates.

10.1.2 For a sampler with a continuous w recorder, determine the average flow te device reading. I. for the period. etermine the appropriate expression from Table 2 corresponding to the one from Table Lused in step 9.3.9. Then using this expression and the average flow rate reading. cetermine Que from the sampler calibration rve, either graphically or from the ransposed regression equation:

(3.7a=

| || || Appropriate expression from Table 2| - b|

If the trace shows substantial flow change during the sampling period, greater accuracy may be achieved by dividing the sampling period into intervals and calculating an . . erage reading before determining Qstd. 10.2 Calculate the total air volume sampled as:

 $V-Q_{std}Xt$

v more:

V = total air volume sampled, in standard volume units. std m3/;

Q_{std} = average standard flow rate, std m³/min: t = sampling time, min.

Corrected by 48 FR 17355, April 22, 19831

10.3 Calculate and report the particulate matter concentration as:

$$TSP = \frac{(W_t - W_s) \times 10^6}{V}$$

where:

TSP = mass concentration of total suspended particulate matter, µg/std m³; W, = initial weight of clean filter, g:

W, = final weight of exposed filter, g; V = air volume sampled, converted to standard conditions, std m3,

 10^{4} = conversion of g to μ g.

10.4 If desired, the actual particulate matter concentration (see Section 2.2) can be calculated as follows:

 $(TSP)_a = TSP (P_a/P_{std})(298/T_a)$ where:

(TSP) = actual concentration at field conditions. µg/m3;

TSP = concentration at standard conditions. μg/std m³:

P₂ = average barometric pressure during sampling period. mm Hg: $P_{sid} = 760 \text{ mn Hg (or 101 kPa)};$

T₃ = average ambient temperature during sampling period, K.

11.0 References.

1. Quality Assurance Handbook for Air Pollution Measurement Systems. Volume I. Principles. EPA-600/9-76-005, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711, 1976.

2. Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II. Ambient Air Specific Methods. EPA-600/4-77-027a, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711, 1977.

3. Wedding, J. B., A. R. McFarland, and J. E. Cernak. Large Particle Collection Characteristics of Ambient Aerosol Samplers. Environ. Sci. Technol. 11:387-390, 1977.

4. McKee, H. C., et al. Collaborative Testing of Methods to Measure Air Pollutants, I. The High-Volume Method for Suspended Particulate Matter. J. Air Poll. Cont. Assoc., 22 (342), 1972.

5. Clement. R. E., and F. W. Karasek. Sample Composition Changes in Sampling and Analysis of Organic Compounds in Aerosols. The Intern. J. Environ. Anal. Chem., 7:109, 1979

6. Lee, R. E., Jr., and J. Wagman. A Sampling Anomaly in the Determination of Atmospheric Sulfuric Concentration. Am. Ind. Hygiene Assoc. J., 27:266, 1966.

7. Appel. B. R., et al. Interference Effects in Sampling Particulate Nitrate in Ambient Air. Atmospheric Environment, 13:319, 1979.

8. Tierney, G. P., and W. D. Conner. Hygroscopic Effects on Weight Determinations of Particulates Collected on Glass-Fiber Filters. Am. Ind. Hygiene Assoc. J., 28:363, 1967.

9. Chahal, H. S., and D. J. Romano. High-Volume Sampling Effect of Windborne Particulate Matter Deposited During Idle Periods. J. Air Poll. Cont. Assoc., Vol. 26 [885].

10. Patterson, R. K. Aerosol Contamination from High-Volume Sampler Exhaust, J. Air Poll. Cont. Assoc., Vol. 30 (169). 1980.

11. EPA Test Procedures for Determining pH and Integrity of High-Volume Air Filters. QAD/M-80.01. Available from the Methods Standardization Branch, Quality Assurance Division. Environmental Monitoring Systems Laboratory (MD-77), U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711, 1980.

12. Smith. F., P. S. Wohlschlegel, R. S. C. Rogers, and D. J. Mulligan. Investigation of Flow Rate Calibration Procedures Associated with the High-Volume Method for Determination of Suspended Particulates. EPA-600/4-78-047, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina, June 1978.





Figure 1. High-volume sampler in shelter.


Environment Reporter

S-640 121:0110.9

ORIFICE TYPE FLOW TRANSFER STANDARDS

NONORIFICE TYPE FLOW TRANSFER STANDARD





2a. ORIFICE UNIT USING FIXED RESISTANCE PLATES.

2. PREFERABLE ORIFICE UNIT WITH EXTERNALLY ADJUSTABLE RESISTANCE.

2c. ELECTRONIC FLOWMETER WITH EXTERNALLY ADJUSTABLE RESISTANCE.

Figure 2. Various types of flow transfer standards. Note that all devices are designed to mount to the filter inlet area of the sampler.




Figure 3. Illustration of the 3 steps in the flow measurement process.

			ı	UNIT LEE INAMSEE	ONITICE INMINITE STANDARD CENTIFICATION WORKSHEET	TON MONSHEE	(6)	(7.5)
	3	(74	(6)	(4)	(6)	(8)	(1)	
	Meter	Heter	Samoling	Volume	Differential pressure (at inlet to	(x)	Pressure drop across orifice	(4)
6	start	stop	Lime	measured	volume meter)	Flow rate	At 0.1	(P1 \ /29R)
5 6	- (. 3	.•{	/mm Ho or that	std std		Val (pred)
E			(11)	(m)	(with right of area)	(316 = /=)	VI #8151	
_								
~								
m								
•								
\$								
9								
		RECORDED C	RECORDED CALIBRATION DATA				CALCULATION EQUATIONS	SNI
Stan	Standard volume meter no.	er no.				(3)	1 - J = W	
Tran	Transfer standard type: 🔲 orifice	ype: 🗌 ortffc		other			1/00 - 0/	
	Model No.		8	Serial No.		(2)	$(2) V_{eff} = V_{m} \left(\frac{r_{b}}{r_{b}} \right) \left(\frac{std}{std} \right)$	- 15t
(8) P ₁ :	ا ا : ا	ok ma	on Hg for kPal. (10) Pstd: 260 m	(10) Pstd: 260 mm Hg (or 101 kPs)		/ pas. \	/ .
(9) T ₁ :	T ₁ :		¥	(11) T _{std} :	298 K	(3)	(3) $Q_{std} = \frac{V_{std}}{t}$	
Cal	Calibration performed by:	ed by:						
Date:	=							
				LEAST S	LEAST SQUARES CALCULATIONS			

Linear (Y = mX + b) regression equation of Y = /AH(P1/Pstd) (298/T1) on X = Qstd for Orifice Calibration Unit (1.e., /AH(P1/Pstd)(298/T1) Correlation coefficient (r) $x = \frac{1}{m}(y-b);$

* mqstd + b)

Figure 4. Example of orifice transfer standard certification worksheet.

To use for subsequent calibration:

Slope (m)

H
똜
ORKS
IFLER CALIBRATION N
E
8
7
<u>ت</u>
5
AF
S
Ĕ
H
3
Š
훙
Ξ

And the second of the second o	Barometric resoure, rg mm ng (or m'a)	No.	No.	(A)	•	7		$ (x) \qquad (x) \qquad \Box \sqrt{i \left(\frac{P_{2}}{s_{10}}\right) \left(\frac{r_{2}}{s_{10}}\right)} \qquad \Box \sqrt{i \left(\frac{r_{2}}{s_{10}}\right) \left(\frac{r_{2}}{s_{10}}\right)} $	F 9 8							STORE THE STORE ST
	Temoral	Serial No.	Serial No.		101 kPa)	ressure: P =	perature: T _e =		$\sqrt{\Delta H \left(\frac{P_2}{std}\right) \left(\frac{298}{T_2}\right)}$							100 1041
Sile Location:	Date:	Sampler No.	Iransfer std. type:		Pstd = 760 mm Hg (or 101 kPa)	Optional: Average barometric pressure:	Seasonal average temperature:	AH Ores of the Ores	across orifice (in) or (in) or (in)							
֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֡֓֡֓֡	Date:	Samo	Tran			9pt			¥9	1	2	2	*	8	9	

Linear regression of Y on X: Y = mX + b; Y = appropriate expression from Table 1; X $\equiv Q_{std}$ Correlation Coeff. (r) = Intercept (b) Slupe (m)

 $\frac{1}{n}$ ([appropriate expression from Table 2] - b) <u>1</u> (γ-b); To determine subsequent flow rate during use:

Figure 5. Example of high-volume air sampler calibration worksheet.

toring and Support Laboratory, Research Triangle Park, North Carolina 27711).

[References 14 and 15 added by 48 FR 2529, January 20, 1983]

- 14. A Procedure for Establishing Traceability of Gas Mixtures to Certain National Bureau of Standards Standard Reference Materials. EPA-600/7-81-010, Joint publication by NBS and EPA. Available from the U.S. Environmental Protection
- Agency, Environmental Monitoring Systems Laboratory (MD-77), Research Triangle Park, North Carolina 27711, May 1981.
- 15. Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II. Ambient Air Specific Methods. The U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory, Research Triangle Park, North Carolina 27711. Publication No. EAP-600/4-77-027a.




Figure 1. Schematic diagram of a typical GPT calibration system




Figure 2: Schematic diagram of a typical calibration apparatus using an NO2 permeation device

AFFENDIX G-REFERENCE METHOD FOR THE DETERMINATION OF LEAD IN SUSPENDED PARTICULATE MATTER COLLECTED FROM AMBIENT AIR

1. Principle and applicability.

1.1 Ambient air suspended particulate matter is collected on a glass-fiber filter for 24 hours using a high volume air sampler.

The analysis of the 24-hour samples may be performed for either individual samples or composites of the samples collected over a calendar month or quarter, provided that the compositing procedure has been approved in accordance with section 2.8 of Appendix C to Part 58 of this chapter — Modifications of methods by users. (Guidance or assistance in requesting approval under Section

2.8 can be obtained from the address given in section 2.7 of Appendix C to Part 58 of this chapter.)

[Section 1.1 amended by 46 FR 44163. September 3, 1981]

1.2 Lead in the particulate matter is solubilized by extraction with nitric acid (HNO₃), facilitated by heat or by a mixture

[Appendix G]

of HNO, and hydrochloric acid (HCl) facilitated by ultrasonication.

1.3 The lead content of the sample is analyzed by atomic absorption spectrometry using an air-acetylene flame, the 283.3 or 217.0 nm lead absorption line, and the optimum instrumental conditions recommended by the manufacturer.

The ultrasonication extraction with HNO,/HCl will extract metals other than lead from ambient particulate matter.

2. Range, sensitivity, and lower detectable limit. The values given below are typical of the methods capabilities. Absolute values will vary for individual situations depending on the type of instrument used, the lead line, and operating conditions.

2.1 Range. The typical range of the method is 0.07 to 7.5 µg Pb/m² assuming an upper linear range of analysis of 15 µg/ml

and an air volume of 2,400 m³.

2.2 Sensitivity. Typical sensitivities for a 1 percent change in absorption (0.0044 absorbance units) are 0.2 and 0.5 µg Pb/ml for the 217.0 and 283.3 nm lines, respectively.

2.3 Lower detectable limit (LDL). A typical LDL is 0.07 µg Pb/m3. The above value was calculated by doubling the between-laboratory standard deviation obtained for the lowest measurable lead concentration in a collaborative test of the method.(15) An air volume of 2,400 m' was assumed.

3. Interferences. Two types of interferences are possible: chemical and light scal-

3.1 Chemical. Reports on the absence (1. 2. 3. 4. 5) of chemical interferences far outweigh those reporting their presence. (6) therefore, no correction for chemical interferences is given here. If the analyst suspects that the sample matrix is causing a chemical interference, the interference can be verified and corrected for by carrying out the analysis with and without the method of scandard additions.(7)

3.2 Light scattering. Nonatomic absorptio.; or light scattering, produced by high concentrations of dissolved solids in the sample, can produce a significant interference, especially at low lead concentrations. (2) The interference is greater at the 217.0 rm line than at the 263.3 nm line. No interference was observed using the 283.3 nm

line with a similar method.(1)

Light scattering interferences can, however, be corrected for instrumentally. Since the dissolved solids can vary depending on the origin of the sample, the correction may be necessary, especially when using the 217.0 nm line. Dual beam instruments with a continuum source give the most accurate correction. A less accurate correction can be obtained by using a nonabsorbing lead line that is near the lead analytical line. Information on use of these correction techniques can be obtained from instrument manufacturers' manuals.

If instrumental correction is not feasible. the interference can be eliminated by use of the ammonium pyrrolidinecarbodithioatemethylisobutyl ketone, chelation-solvent extraction technique of sample preparation.(8)

4. Precision and bias

4.1 The high-volume sampling procedure used to collect amoient air particulate matter has a between-laboratory relative standard deviation of 3.7 percent over the range 80 to 125 µg/m3(9) The combined extraction analysis procedure has an average within-laboratory relative standard devision of 5 to 6 percent over the range 1.5 to 15 µg Pb/ml, and an average between laboratory relative standard deviation of 7 to 9 percent over the same range. These values include use of either extraction procedure.

4.2 Single laboratory experiments and collaborative testing indicate that there is no significant difference in lead recovery between the hot and ultrasonic extraction procedures.(15)

5. Apparatus.

5.1 Sampling.

5.1.1 High-volume sampler. Use and calibrate the sampler as described in reference

5.2 Analysis.

5.2.1 Atomic absorption spectrophotometer. Equipped with lead hollow cathode or electrodeless discharge lamp.

5.2.1.1 Acetylene. The grade recommended by the instrument manufacturer should be used. Change cylinder when pressure drops below 50-100 psig.

5.2.1.2 Air. Filtered to remove particu-

late, oil, and water.

5.2.2 Glassware. Class borosilicate glassware should be used throughout the analysis.

5.2.2.1 Beakers. 30 and 150 ml. graduated, Рутех.

5.2.2.2 Volumetric flasks. 100-ml.

5.2.2.3 Pipettes. To deliver 50, 30, 15, 8, 4, 2. 1 ml.

5.2.2.4 Cleaning. All glassware should be scrupulously cleaned. The following procedure is suggested. Wash with laboratory detergent, rinse, soak for 4 hours in 20 percent (W/W) HNO, rinse 3 times with distilleddeionized water, and dry in a dust free manner.

5.2.3 Hot plate.

5.2.4. Ultrasonication water bath, unheated. Commercially available laboratory ultrasonic cleaning baths of 450 watts or higher "cleaning power," i.e., actual ultrasonic power output to the bath have been found satisfactory.

5.2.5 Template. To aid in sectioning the glass-fiber filter. See figure 1 for dimensions.

5.2.6 Pizza cutter. Thin wheel. Thickness <1mm.

5.2.7 Watch glass.

5.2.8 Polyethylene bottles. For storage of samples. Linear polyethylene gives better storage stability than other polyethylenes and is preferred.

5.2.9 Parafilm "M". American Can Co., Marathon Products, Nennah, Wis., or equivalent.

6. Reagents.

6.1 Sampling

6.1.1 Glass fiber filters. The specifica-tions given below are intended to aid the user in obtaining high quality filters with reproducible properties. These specifications have been met by EPA contractors.

6.1.1.1 Lead content. The absolute lead content of filters is not critical, but low values are, of course, desirable. EPA typically obtains filters with a lead content of <75 μg/filter.

It is important that the variation in lead content from filter to filter, within a given batch, be small.

6.1.1.2 Testing. 6.1.1.2.1 For large batches of filters (>500 filters) select at random 20 to 30 filters from a given batch. For small batches (<500 filters) a lesser number of filters may be taken. Cut one %"x8" strip from each filter anywhere in the filter. Analyze all strips, separately, according to the directions in sections 7 and 8.

6.1.1.2.2 Calculate the total lead in each filter as

$$F_{b}$$
 = μg Pb/ml x $\frac{100 \text{ ml}}{\text{strip}}$ x $\frac{12 \text{ strips}}{\text{filter}}$

F. = Amount of lead per 72 square inches of filter, µg.

6.1.1.2.3 Calculate the mean, F. of the values and the relative standard deviation (standard deviation/mean \times 100). If the relative standard deviation is high enough so that, in the analysts opinion, subtraction of F. (section 10.3) may result in a significant error in the µg Pb/m2 the batch should be rejected.

6.1.1.2.4 For acceptable batches, use the value of F, to correct all lead analyses (section 10.3) of particulate matter collected using that batch of filters. If the analyses are below the LDL (section 2.3) no correction is necessary.

6.2 Analysis.

6.2.1 Concentrated (15.6 M) HNO, ACS reagent grade HNO, and commercially available redistilled HNO, has found to have sufficiently low lead concentrations.

6.2.2 Concentrated (11.7 M) HCl. ACS reagent grade.

6.2.3 Distilled-daionized water. water).

6.2.4 3 M HNO, This solution is used in the hot extraction procedure. To prepare, add 192 ml of concentrated HNO, to D.I. water in a 1 l volumetric flask. Shake well. cool, and dilute to volume with D.I. water, Caution: Nitric acid funies are toxic. Prepare in a well ventilated fume hood.

6.2.5 0.45 M HNO. This solution is used as the matrix for calibration standards when using the hot extraction procedure. To prepare, add 29 ml of concentrated HNO, to D.I. water in a 1 l volumetric flask. Shake well, cool, and dilute to volume with D.I. water.

6.2.6 2.6 M HNOs+0 to 0.9 M HCl. This solution is used in the ultrasonic extraction procedure. The concentration of HCl can be varied from 0 to 0.9 M. Directions are given for preparation of a 2.6 M HNO, +0.9 M HCl solution. Place 167 ml of concentrated HNO, into a 1 l volumetric flask and add 77 ml of concentrated HCl. Stir 4 to 6 hours, dilute to nearly I I with D.I. water, cool to room temperature, and dilute to 1 L

6.2.7 0.40 M HNO, + X M HCl. This solution is used as the matrix for calibration standards when using the ultrasonic extraction procedure. To prepare, add 26 mi of concentrated HNO, plus the ml of HCl required, to a 1 l volumetric flask, Dilute to nearly 1 l with D.I. water, cool to room temperature, and dilute to 1 L. The amount of HCl required can be determined from the following equation:

$$y = \frac{77 \text{ ml } \times 0.15 \text{ x}}{0.9 \text{ M}}$$

^{*}Mention of commercial products does not imply endorsement by the U.S. Environmental Protection Agency.

where

y = ml of concentrated HCl required.

x = molarity of HCl in 6.2.6.0.15 = dilution factor in 7.2.2.

6.2.8 Lead nitrate, Pb(NO₃)₃. ACS reagent grade, purity 99.0 percent. Heat for 4 hours at 120° C and cool in a desiccator.

6.3 Calibration standards.

 $^{\circ}6.3.1$ Master standard, 1000 μ g Pb/ml in HNO₂. Dissolve 1.598 g of Pb(NO₂), in 0.45 M HNO₃ contained in a 1 l volumetric flask and dilute to volume with 0.45 M HNO₃.

6.3.2 Master standard, 1000 µg Pb/ml in HNO,/HCl. Prepare as in 6.3.1 except use the HNO,/HCl solution in 6.2.7.

Store standards in a polyethylene bottle. Commercially available certified lead standard solutions may also be used.

7. Procedure.

7.1 Sampling. Collect samples for 24 hours using the procedure described in reference 10 with glass-fiber filters meeting the specifications in 6.1.1. Transport collected samples to the laboratory taking care to minimize contamination and loss of sample (16).

[7.1 corrected by 44 FR 37915, June 29, 1979]

7.2 Sample preparation.

7.2.1 Hot extraction procedure.

7.2.1.1 Cut a 3/4"x 8" strip from the exposed filter using a template and a pizza cutter as described in Figures 1 and 2. Other cutting

procedures may be used.

Lead in ambient particulate matter collected on glass fiber filters has been shown to be uniformly distributed across the filter. 1,111 Another study 12 has shown that when sampling near a roadway, strip position contributes significantly to the overall variability associated with lead analyses. Therefore, when sampling near a roadway, additional strips should be analyzed to minimize this variability.

[7.2.1.1 corrected by 44 FR 37915, June 29, 1979]

7.2.1.2 Fold the strip in half twice and place in a 150-ml beaker. Add 15 ml of 3 M HNO, to cover the sample. The acid should completely cover the sample. Cover the beaker with a watch glass.

7.2.1.3 Place beaker on the hot-plate, contained in a fume hood, and boil gently for 30 min. Do not let the sample evaporate to dryness. Caution: Nitric acid fumes are toxic.

7.2.1.4 Remove beaker from hot plate and cool to near room temperature.

7.2.1.5 Quantitatively transfer the sample as follows:

7.2.1.5.1 Rinse watch glass and sides of beaker with D.I. water.

7.2.1.5.2 Decant extract and rinsings into a 100-ml volumetric flask.

7.2.1.5.3 Add D.I. water to 40 ml mark on beaker, cover with watch glass, and set aside for a minimum of 30 minutes. This is a critical step and cannot be omitted since it allows the HNO, trapped in the filter to diffuse into the rinse water.

7.2.1.5.4 Decant the water from the filter into the volumetric Clark.

7.2.1.5.5 Rinse filter and beaker twice with D.I. water and add rinsings to volumetric flask until total volume is 80 to 85 ml.

7.2.1.5.6 Stopper flask and shake vigorously. Set aside for approximately 5 minutes or until foam has dissipated.

7.2.1.5.7 Bring solution to volume with D.I. water. Mix thoroughly.

7.2.1.5.8 Allow solution to settle for one hour before proceeding with analysis.

7.2.1.5.9 If sample is to be stored for subsequent analysis, transfer to a linear polyethylene bottle.

7.2.2 Ultrasonic extraction procedure.

7.2.2.1 Cut a %"x8" strip from the exposed filter as described in section 7.2.1.1.

7.2.2.2 Fold the strip in half twice and place in a 30 ml beaker. Add 15 ml of the HNO₂/HCl solution in 6.2.6. The acid should completely cover the sample. Cover the beaker with parafilm.

The parafilm should be placed over the beaker such that none of the parafilm is in contact with water in the ultrasonic bath. Otherwise, rinsing of the parafilm (section 7.2.2.4.1) may contaminate the sample.

7.2.2.3 Place the beaker in the ultrasonication bath and operate for 30 minutes.

7.2.2.4 Quantitatively transfer the sample as follows:

7.2.2.4.1 Rinse parafilm and sides of beaker with D.L. water.

7.2.2.4.2 Decant extract and rinsings into a 100 ml volumetric flask.

7.2.2.4.3 Add 20 ml D.I. water to cover the filter strip, cover with parafilm, and set aside for a minimum of 30 minutes. This is a critical step and cannot be omitted. The sample is then processed as in sections 7.2.1.5.4 through 7.2.1.5.9.

Note.—Samples prepared by the hot extraction procedure are now in 0.45 M HNO₃. Samples prepared by the ultrasonication procedure are in 0.40 M HNO₃ + X M HCl.

8. Analysis.
8.1 Set the wavelength of the monochromator at 283.3 cr 217.0 nm. Set or align other instrumental operating conditions as recommended by the manufacturer.

8.2 The sample can be analyzed directly from the volumetric flask, or an appropriate amount of sample decanted into a sample analysis tube. In either case, care should be taken not to disturb the settled solids.

8.3 Aspirate samples, calibration standards and blanks (section 9.2) into the flame and record the equilibrium absorbance.

8.4 Determine the lead concentration in µg Pb/ml, from the calibration curve, section 8.2

8.5 Samples that exceed the linear calibration range should be diluted with acid of the same concentration as the calibration standards and reanalyzed.

9. Calibration

9.1 Working standard, 20 µg Pb/ml. Prepared by diluting 2.0 ml of the master standard (6.3.1 if the hot acid extraction was used or 6.3.2 if the ultrasonic extraction procedure was used) to 100 ml with acid of the same concentration as used in preparing the master standard.

9.2 Calibration standards. Prepare daily by diluting the working standard, with the same acid matrix, as indicated below. Other lead concentrations may be used.

Volume of 20 µg/ml working standard, ml	Final volume, ml	Concentration µg Pb/ml
0	100	0
1.0	200	0.1
2.0	200	0.2
2.0	100	0.4
4.0	100	0.8
8.0	100	1.6
15.0	100	3.0
30.0	100	6.0
50.0	100	10.0
100.0	100	20.0

9.3 Preparation of calibration curve. Since the working range of analysis will vary depending on which lead line is used and the type of instrument, no one set of instructions for preparation of a calibration curve can be given. Select standards (plus the reagent blank), in the same acid concentration as the samples, to cover the linear absorption range indicated by the instrument manufacturer. Measure the absorbance of the blank and standards as in section 8.0. Repeat until good agreement is obtained between replicates. Plot absorbance (y-axis) versus concentration in µg Pb/ml (x-axis). Draw (or compute) a straight line through the linear portion of the curve. Do not force the calibration curve through zero. Other calibration procedures may be

To determine stability of the calibration curve, remeasure—alternately—one of the following calibration standards for every 10th sample analyzed: concentration $\lesssim 1 \mu g$ Pb/ml; concentration $\lesssim 10 \mu g$ Pb/ml. If either standard deviates by more than 5 percent from the value predicted by the calibration curve, recalibrate and repeat the previous 10 analyses.

10. Calculation.

10.1 Measured air volume. Calculate the measured air volume at Standard Temperature and Pressure as described in Reference 10.

[10.1 corrected by 44 FR 37915, June 29, 1979]

10.2 Lead concentration. Calculate lead concentration in the air sample.

(ug Pb/ml x 100 ml/strip x 12 strips/filter) - F

٧. . .

27

where:

C=Concentration, µg Pb/sm3.

µg Pb/ml=Lead concentration determined from section 8.

100 ml/strip = Total sample volume.

12 strips = Total usable filter area 8" x 9" filter = Total area of one strip 3/4 x 8"

 F_b =Lead concentration of blank filter, μg , from section 6.1.1.2.3.

 $V_{\text{STP}} = \text{Air volume from 10.2.}$

[10.2 corrected by 44 FR 37915, June 29, 1979]

11. Quality control.

 $4^{\prime\prime}$ × 8" glass fiber filter strips containing 80 to 2000 μg Pb/strip (as lead salts) and blank strips with zero Pb content should be used to determine if the method—as being used—has any bias. Quality control charts should be established to monitor differences between measured and true values. The frequency of such checks will depend on the local quality control program.

To minimize the possibility of generating unreliable data, the user should follow practices established for assuring the quality of air pollution data. (13) and take part in EPA's semiannual audit program for lead

analyses.

12. Trouble shooting.

- 1. During extraction of lead by the hot extraction procedure, it is important to keep the sample covered so that corrosion products—formed on fume hood surfaces which may contain lead—are not deposited in the extract.
- 2. The sample acid concentration should minimize corrosion of the nebulizer. However, different nebulizers may require lower acid concentrations. Lower concentrations can be used provided samples and standards have the same acid concentration.
- 3. Ashing of particulate samples has been found, by EPA and contractor laboratories,

to be unnecessary in lead analyses by atomic absorption. Therefore, this step was omitted from the method.

- 4. Filtration of extracted samples, to remove particulate matter, was specifically excluded from sample preparation, because some analysts have observed losses of lead due to filtration.
- 5. If suspended solids should clog the nebulizer during analysis of samples, centrifuge the sample to remove the solids.

13. Authority.

(Secs. 109 and 301(a), Clean Air Act as amended, (42 U.S.C. 7409, 7601(a)).)

14. Reserences.


1. Scott, D. R. et al. "Atomic Absorption and Optical Emission Analysis of NASN Atmospheric Particulate Samples for Lead." Envir. Sci. and Tech., 10, 877-880 (1976).

- 2. Skogerboe. R. K. et al. "Monitoring for Lead in the Environment." pp. 57-66, Department of Chemistry, Colorado State University, Fort Collins, Colo. 80523. Submitted to National Science Foundation for publications. 1976.
- 3. Zdrojewski, A. et al. "The Accurate Measurement of Lead in Airborne Particulates." Inter. J. Environ. Anal. Chem., 2, 63-77 (1972).
- 4. Slavin, W., "Atomic Absorption Spectroscopy." Published by Interscience Company, New York, N.Y. (1968).
- 5. Kirkbright, G. F., and Sargent, M., "Atomic Absorption and Fluorescence Spectroscopy." Published by Academic Press, New York, N.Y. 1974.
- 6. Burnham, C. D. et al., "Determination of Lead in Airborne Particulates in Chicago and Cook County, Ill. by Atomic Absorption Spectroscopy." Envir. Sci. and Tech., 3, 472-475 (1969).
- 7. "Proposed Recommended Practices for Atomic Absorption Spectrometry." ASTM

Book of Standards, part 30, pp. 1596-1663 (July 1973).

- 8. Koirttyohann, S. R. and Wen, J. W., "Critical Study of the APCD-MIBK Extraction System for Atomic Absorption." Anal Chem., 45, 1986-1989 (1973).
- 9. Collaborative Study of Reference Method for the Determination of Suspended Particulates in the Atmosphere (High Volume Method). Obtainable from National Technical Information Service, Department of Commerce, Port Royal Road, Springfield, Va. 22151, as PB-205-391.
- 10. "Reference Method for the Determination of Suspended Particulates in the Atmosphere (High Volume Method)." Code of Federal Regulations. Title 40, Part 50, Appendix B, pp. 12-16 (July 1, 1975).
- 11. Dubois, L., et al., "The Metal Content of Urban Air." JAPCA, 16, 77-78 (1966).
- 12. EPA Report No. 600/4-77-034, June 1977, "Los Angeles Catalyst Study Symposium." Page 223.
- 13. Quality Assurance Handbook for Air Pollution Measurement System. Volume 1—Principles. EPA-600/9-76-905. March 1975.
- 14. Thompson, R. J. et al., "Analysis of Selected Elements in Atmospheric Particulate Matter by Atomic Absorption." Alonic Absorption Newsletter, 9, No. 3, May-June 1970.
- 15. To be published, EPA, QAB, EMSL, RTP, N.C. 27711
- 16. Quality Assurance Handbook for Air Pollution Measurement Systems. Volume II—Ambient Air Specific Methods. EPA-600/ 4-77/027a, May 1977.

[Corrected by 44 FR 37915, June 29, 1979]



APPENDIX M-2-A

SCOPE OF ADDITIONAL SITE INVESTIGATIONS IN RESPONSE TO DRAFT RI REPORT REVIEW COMMENTS



3000 East Belt Line N.E. Grand Rapids, Michigan 49505 Telephone (616) 361-5092

June 24, 1985 (Revised July 3, 1985)

Mr. Rodney Gaither
Project Coordinator (RPM) 5HE-12
USEPA, Region V
230 S Dearborn Street
Chicago, Illinois 60604

Re: Johns-Manville Waukegan Area RI/FS (Additional site investigations in response to Draft RI Review Comments)

Dear Mr. Gaither,

This letter is to confirm our discussions on the following two tasks which involve additional site investigations. The data obtained through these tasks will be used to prepare responses to some of your review comments (items 3, 5 and 6 on page seven) on the draft RI report. These responses will be summarized in a technical memorandum and submitted for your review.

ANALYSIS OF COMMON INORGANIC ANIONS IN THE GROUND WATER.

As indicated by you, the purpose of the anion analysis of the ground water is to correlate if possible the ground water movement directions obtained by using temperature and elevations data with those obtained using major anion levels. Therefore, anions which are normally present in relatively large concentrations will be used to estimate ground water movement directions at the site. We propose to use the following measurements for this purpose.

Chlorides
Sulfates
Total alkalinity including carbonates
Specific conductance
Nitrates Nitrogen

We propose to analyze the ground water and Lake Michigan shore water samples for anions. The second set of samples which were collected on April 29 and 30, 1985 for asbestos analysis (as discussed in June, 1985 technical memorandum No. M-I) will be used for the anion data. If desired a second set of samples will be collected for repeating the anion analysis.

The results obtained will be used to plot ground water movement directions and compare with those obtained through the use of ground water temperature and elevation data.

Mr.Rodney Gaither June 24, 1985 (Revised July 3, 1985) Page Two

2. ON-SITE LEAD CONCENTRATION IN AIR

According to my discussion with you on the details of air sampling and to meet the intent of 40 CFR 50.12 on Ambient Air Lead concentrations, KMA proposes to sample air at nine locations (see attached figures 1 & 2 for on-site and off-site locations) on three different days, each for a period of 24 + hours. Air will be sampled according to the procedure outlined in Appendix G referred to in 40 CFR 50.12. In addition a portable wind vane and anemometer will be used at each location to obtain wind direction and wind velocity. If 0.10 inch of precipitation or more occurred during any test run, then that test run will be repeated after a waiting period of at least 24 hours. Standard high volume air samplers with glass fiber filter will be used. The air volume will be between 39 cfm (1.1 m³/min) and 60 cfm (1.7 m³/min).

The air filter will be the standard recommended for total suspended particulate matter (TSP) which has 99% capture efficiency to retain particles of 0.3 μ m diameter at 1.5 m³/min air rate. Air temperature and pressure will also be recorded at each location. The air flow rate for each sampler will be calibrated and recorded in a log book. The wind velocity and direction observations will be made three times during each test run. The sampling filters will be analyzed for lead using the USEPA recommended procedure. Blank filters and duplicates will be analyzed for quality control.

The field activities will be conducted during the week beginning July, 29, 1985 and will be coordinated with you so that you could witness some of the field sampling activities. The study will be summarized in a report. Based on the results of previous personal air sampling and results of remedial investigations, we propose to provide level D site health and safety protection during field activities.

The results obtained from the above two tasks will be submitted in the form of a technical memorandum by the 15th of September, 1985.


Please feel free to contact me if you have any questions on any of the information included in this letter.

Sincerely yours,

S. K. Malhotra, Ph.D., P.E.

Lunallaha

cc: Mr. James Whipple, Johns-Manville SKM:sa






Figure 2 Locations of Off-Site Samplers.

APPENDIX M-2-B

- 1. COMMON INORGANIC ANIONS IN GROUND AND SURFACE WATERS
- 2. APRIL 20, 1973 GROUND WATER SAMPLE ANALYSIS IN THE VICINITY OF THE JOHNS-MANVILLE DISPOSAL AREA



PREIN & NEWHOF, P.C. ENGINEERS -- SURVEYORS ENVIRONMENTAL & SOILS LABORATORIES 3000 FAST BETT LINE N.E. GRAND RAPIDS MICHIGAN 49506

3000 EAST BELT LINE N.E., GRAND RAPIDS. MICHIGAN 49505 285 JAMES STREET, SUITE E, HOLLAND, MICHIGAN 49423

TELEPHONE (616) 364-8491 TELEPHONE (616) 399-9218

H. EDWARD PREIN P.E., R.L.S. THOMAS NEWHOF P.E. WILSON D. MCQUEEN P.E. LARRY D. WILSON P.E. MICHAEL S. FULLER P.E. PHILIP C. GLUPKER P.E. JAMES A. COOK P.E. ROBERT J. VANDER MALE P.E. ROBERT J. REIMINK P.E. ARTHUR W. BRINTNALL R.L.S. REX A. MILLIRON R.L.S.

July 15, 1985 85126

Dr. Kumar Malhotra KMA Associates 3000 East Beltline NE Grand Rapids, Michigan 49505

Re: Johns-Manville Samples, received in lab 6/24/85

LABORATORY RESULTS

Sample	Specific Conductance umhos/cm	Chloride mg/L	Sulfate mg/L	Nitrate mg/L as N	Total Alka- linity,mg/L as Ca CO ₃
1, 4/28/85	1,330	116	113	2.26	591
2, 4/29/85	1,030	95	2	0.78	470
3, 4/30/85	700	75	39	0.87	233
4, 4/30/85	640	75	37	0.77	197
4A, 4/30/85	610	69	38	0.47	166
, 4/29/85	950	147	25	3.89	327
Water Plant Intake, 4/30/8	5 290	11	21	0.59	134
East of Well # Lake Shone, no date	2 , 300	11	22	0.16	112
East of Well # no date	4 , 303	12	23	0.39	139
50' M. of Con Edison Dischar no date	ge 293	11	23	0.36	134

PREIN & NEWHOF

Jane Poch
Chemist

34.65



PREIN & NEWHOF, P.C. ENGINEERS — SURVEYORS ENVIRONMENTAL & SOILS LABORATORIES

3000 EAST BELT LINE N.E., GRAND RAPIDS, MICHIGAN 49505 285 JAMES STREET, SUITE E, HOLLAND, MICHIGAN 49423 TELEPHONE (616) 364-8491 TELEPHONE (616) 399-9218

H. EOWARD PREIN P.E., R.L.S. THOMAS NEWHOF P.E. WILSON D. MCOUEEN P.E. LARRY D. WILSON P.E. MICHAEL S. FULLER P.E. PHILIP C. GLUPKER P.E. JAMES A. COOK P.E. ROBERT J. VANDER MALE P.E. ROBERT J. REIMINK P.E. ARTHUR W. BRINTNALL R.L.S. REX A. MILLIRON R.L.S.

August 23, 1985 85126

Dr. Kumar Malhotra KMA Associates 3000 East Beltline NE Grand Rapids, Michigan 49505

Re: Johns-Manville Samples received in lab 6/24/85 dated 4/28-30/85

<u>Sample</u>	Total Alkalinity mg/L as CaCO ₃	Bicarbonate Alkalinity mg/L as HCO ₃ -	Carbonate Alkalinity mg/L as CO ₃ =
1	591	361	0
2	470	297	0
3	233	142	o
4	197	120	0
4A	166	101	0
5	327	199	0
Water Plant Intake	134	82	0
East of Well # Lakeshore	112	68	o
East of Well #	139	85	0
50' N of Con E Discharge	dison 134	82	C

PREIN & NEWHOF

Jane Hoch Chemist

JOHNS-MANVILLE SAMPLES **RECEIVED 7/31/85** PREIN & NEWHOF LABORATORY RESULTS

LABORATORY RESULTS

Sample	Specific Conductance umhos/cm	рН_	Chloride mg/L	Sulfate mg/L	Nitrate mg/L as N	Total Alka- linity,mg/L as Ca CO ₃	Bicarbonate mg/L as HCO ³ -	Carbonate mg/L as CO ³
1.	1,350	7.3	98	15	0.65	555	339	0
2.	1,210	7.1	82	2	0.01	587	297	0
3.	825	7.2	74	30	0.17	239	146	0
4.	825	7.5	76	31	0.01	194	118	0
5.	1,140	6.8	98	6	0.01	361	220	0
City Raw Tap	363	7.7	18	24	0.12	117	71	0
IndCanal	725	8.2	66	146	0.01	113	69	0
C. Lake	360	7.9	9	24	0.13	113	69	0
N. Lake	360	7.9	9	26	0.09	113	· 69	0
S. Lake	350	7.7	9	24	0.11	113	69	0

NOTE: Samples 1 thru 5 represent Monitoring Wells # 1 thru 5 respectively.

C - Central Shore Line, East of Monitoring Well # 2 N - Northern Shore Line, East of Monitoring Well #4

S - Southern Shore Line, SE of Monitoring Well #2

STATE OF ILLINOIS

DIPARTMENT OF REGISTRATION AND EDUCATION

DIRECTOR, SPRINGFIELD

ARD OF TURAL RESOUNCES AND CONSERVATION
CEAN JAHRINGER
CEAN JAHRINGER
CHAIRMAN

BIOLOGY THOMAS PARK ENGINEERING . . ROBERT N. ANDERSON FORESTRY CHARLES E. OLMSTED UNIVERSITY OF ILLINOIS WILLIAM L. EVERITT WATER RESOURCES BUILDING 405 E. SPRINGFIELD, CHAMPAIGN

MAIL: BOX 232, URBANA, ILLINGIS 61001

Illinois State Water Survey

AHEA CODE 21 PHONE 333-221

WILLIAM C. ACKERMANN, CHIER

April 20, 1973

MINERAL ANALYSIS

Sample of water collected March 26, 1973 from a well owned by Old City of Waukegan Lakeshore Site Well in Lake County. Location of well: 2300'E. 1400'N of the SW corner of Section 15-T45N-R12E. Depth of well: 30 feet.

LABORATORY NO. 191547

		mg/l	me/1				mg/l	me/l
Iron (total)	Fe	3.1		Phosphate(fi	lt)	PO	0.0	
Strontium	Sr	61	.01	(un	filt)	POL	0.0	•
Sodium	Na	117	5.0 9	Nitrate	•	NO ₃	1.1	.02
Potassium	K	20.6	.53	Chloride		Cl	135	3.81
Barium	Ba	<0.1		Alkalinity	(as	CaCO ₃)	412	8.24
Cadmium	Cd	.00		•	•			- 4 4
Chromium	Cr	3.0	.17					
Copper	Cu	.01						
Lead	Pb	<.05						
Lithium	Li	.06	.01					
Nickel	Ni	<.05						.=
Zinc	Zn	.07		·				
Turbidity		23		Hardness	(as	CaCO ₃)	630	12.60
Color		0				_		
Odor		0		Total Dissol	ved M	inerals	1138	

mg/l = milligrams per liter

me/l = milliequivalents per liter

 $mg/1 \times .0583 = grains per gallon$

ILLINOIS STATE WATER SURVEY

Laurel M. Henley

Associate Chemist

217-333-0802

APPENDIX M-2-C

RELATED AIR QUALITY MONITORING DATA FOR LEAD AND TSP FROM IEPA

1980 AIR QUALITY MONITORING DATA FOR LEAD IN THE WAUKEGAN AREA

This data was obtained from Carl Franson, Division of Air Quality, EPA, Maywood, Illinois (312) 345-9780)


			Quarterly Averages in ug/m ³							
	<u>Station</u>	Annual Mean ₃ in ug/m ³	1st Quarter 1980	2nd Quarter 1980	3rd Quarter 1980	4th Quarter 1980				
	Island Lake	0.16	0.13	0.16	0.18	0.16				
_	Lake Bluff (121 E. Sheridan Pla	0.21 ce)	0.18	0.18	0.28	0.18				
	Waukegan (Golf and Jackson)	0.30	0.31	0.35	0.31	0.26				
	Waukegan (106 Utica - downtown)	N/A	N/A	0.29	0.22	0.27				

٠,

IEPA/APC/85-00G

ILLINOIS ANNUAL AIR QUALITY REPORT 1 · 9 · 8 · 4

AIR QUALITY CONTROL REGION 67 METRO CHICAGO INTERSTATE (ILLINOIS-INDIANA)



Data for the Indiana portion of this control region can be obtained from:

Indiana State Board of Health Air Pollution Control Division 1330 West Michigan Street Indianapolis, Indiana 46206 (317) 633-0644

(The number of sampling sites in each city is shown in parenthesis following the city name.)

SITE DIRECTORY

			SHEET SERVICES					
STATION	ADDRESS	OWNER/ OPERATOR	UTM COORD.	EQUIPMENT				
Kaperville [5480 001)	Fire Station 175 Jackson St.	Ill. EPA/DuPage Co. Health Dept.	N. 4624938 E. 404376	SLAMS - TSP				
Hest Chicago (6080 002)	Police Station 128 W. McConnell Ave.	Ill. EPA/DuPage Co. Health Dept.	N. 4637626 E. 400080	SLAMS - TSP				
 Wheaton (8220 002)	Court House 201 Reber St.		N. 4635049 E. 408358	SLAMS - TSP				
GRUNDY COUNTY								
Marris 5 (5260 001)	County Courthouse 111 E. Washington	III. EPA	N. 4575130 E. 380975	SLAMS - TSP				
KANE COUNTY				10				
Aurora (0220 002)	Fire Station 770 N. Michels	Ill. EPA	N. 4625339 E. 392376	NAMS - TSP				
Elgin (2260 004)	Civic Center 150 Dexter Ct.	III. EPA	N. 4654734 E. 393654	NAMS - TSP SPMS - Pb				
Elgin (2260 005)	Larsen Jr. H.S. 665 Dundee Rd.	III. EPA	N. 4655845 E. 394660	NAMS - SO ₂ , O ₃ SPMS - WS/WD ^N				
KARKAKEE COUNTY								
Bourbonnais (0560 001)	Olivet Nazarene College	III. EPA	N. 4556000 E. 426460	SLAMS - 03				
Eredley (0580 001)	East Elem. Sch. 610 E. Liberty St.	III. EPA	N. 4554462 E. 428259	SLAMS - TSP				
LAKE COUNTY								
Peerfield (1760 001)	Woodland Park Elem. Sch. 1321 Wilmot Rd.	III. EPA	N. 4669574 E. 428580	NAMS - 03				
Lake Bluff (4020 001)	East Elem. Sch. 121 E. Sheridan Place	<pre>Ill. EPA/Lake Co. Health Dept.</pre>	N. 4680333 E. 430166	SLAMS - TSP				
(4020 00)) Libertyville (4260 001)	Butterfield School 1441 Lake	III. EPA	N. 4682166 E. 419095	SLAMS - 03 SPMS - WS/WD				
8 waukegan (18020 002)	N. Fire Station Golf & Jackson	III. EPA	N. 4692840 E. 430760	NAMS - 03 Slams - TSP, 502				
MC HENRY COUNTY				SPMS - WD/WD				
E (1923 001)	Cary Grove H.S. 1st St. & Three Oaks Rd.	Ill. EPA/City H.S. (Hi-Vol)	N. 4674876 E. 397580	NAMS - 03 SLAMS - TSP				
WILL COUNTY								
Eraidwood E (8320 007)	Sewage Plant Rt. 113 & School St.	III. EPA	N. 4570111 E. 397802	SLAMS - TSP, 03, Pb SPMS - WS/WD ⁿ				
ioliet (3760-002)	Pershing School Midland & Campbell	Will County Health Dept.	N. 4597641 E. 406864	NAMS - TSP SLAMS - Pb				
2 inliet 13760 003)	Rivals Park 1425 N. Broadway	Will County Health Dept.	N. 4600253 E. 409086	SLAMS - TSP				
i3760 012)	Will County Court House Ottawa & Washington	III. EPA	N. 4597226 E. 409698	SLAMS - CO NAMS - SO2 ⁿ				

4.7 LEAD SUMMARIES

The lead component of the TSP measurements was analyzed at 53 locations in Illinois in 1984. None of the sites recorded a violation of the quarterly lead standard of 1.5 ug/m^3 . The highest quarterly lead average in 1984 was 1.48 ug/m^3 recorded at 15th and Madison in Granite City. The highest quarterly lead average in the Chicago area was 0.68 ug/m^3 at 3500 East 114th Street in Chicago.

The following table lists the Statewide lead summaries for 1984.

1984
LEAD

(MICROGRAMS PER CUBIC METER)

	The second of th	NUMBER OF QUARTERS	QUA	RTERLY (ug/	GES	ANNUAL MEAN	
STATION	ADDRESS	>1.5 ug/m ³	lst	2nd 3rd 4th		4th	(ug/m ³)
65 BURLINGTON-KEOKUK I	ITERSTATE (IOWA - ILL.)						
PEORIA COUNTY Peoria	610 N.E. Jefferson	0	0.19	0.20	0.15	0.27	0.20
67 METROPOLITAN CHICAGO	O INTERSTATE (ILL IND.)					
Alsip Arlington Heights Blue Island Calimet City Chicago Chica	4500 W. 123rd St. 33 S. Arlington Hts. Rd. 12700 Sacramento 755 Pulaski Road 10810 S. Ave. H 9800 S. Torrence 10740 S. Calhoun 8131 S. May St. 801 E. 133rd Pl. 735 W. Harrison 805 N. Michigan Ave. 2100 E. 87th St. 1450 Larrabee 5358 M. Ashland 3300 S. Michigan Ave. 11220 S. Wallace 6140 S. Melvina Ave. 2940 W. Cortland Ave. 4850 Wilson Ave. 3300 E. Cheltenham Pl. 6631 N. Bosworth Ave. 3500 E. 114th St. 15th St. & 50th Ave. 180 E. Thacker 2nd Ave. & Thacker 999 Kedzie Avenue 157th & Lexington St. 206 Main St. 4043 Joliet Ave. 1500 Maybrook Dr. 8955 Greenwood Ave. 1000 Quentin Rd. Lathrop & Oak 60th St. & 74th Ave.	000000000000000000000000000000000000000	0.23 0.24 0.26 0.24 0.40 0.33 	0.29 0.21 0.33 0.27 0.44 0.31 0.21 0.23 0.45 0.29 0.34 0.19 0.20 0.24 0.25 0.29 0.38 0.18 0.13 0.68 0.11 0.17 0.23 0.32 0.10 0.26 0.36 0.21 0.15 0.25 0.23	0.18 0.16 + 0.20 0.32 0.29 0.27 0.13 0.28 0.29 0.30 0.21 0.27 0.23 0.25 0.26 0.38 0.19 0.12 0.50 0.12 0.50 0.12 0.14 - 0.12 0.20 0.15 0.21 0.15	0.23 0.20 -0.17 0.25 0.25 +0.12 0.35 0.59 0.27 0.30 0.37 0.31 0.18 0.37 0.27 0.13 0.27 0.13 0.20 0.21 0.21 0.21 0.21	0.23 0.20 + 0.22 0.35 0.29 + 0.18 0.29 0.52 0.31 0.31 0.27 0.24 0.30 0.25 + 0.27 0.41 0.22 0.14 0.53 + 0.38 + + 0.16 0.25 0.13 0.25 0.13 0.25
<u>DU PAGE COUNTY</u> Elthurst	118 Schiller	o	0.22	0.15	0.18	0,17	0.18
KANE COUNTY Elgin	150 Dexter Ct.	0	0.21	0.15	0.16	0.18	0.18

1984
LEAD
(MICROGRAMS PER CUBIC METER)

		NUMBER OF QUARTERS	QUA	ANNUAL MEAN				
STATION	STATION ADDRESS		lst	lst 2nd		4th	(ug/m³)	
WILL COUNTY				·				
Braidwood Joliet	Rte. 113 & School St. Nidland & Campbell Sts.	0	0.10 0.20	0.05 0.13	0.06 0.13	0.06 0.16	0.07 0.16	
69 METROPOLITAN QUAD	CITIES INTERSTATE (ILL	IOWA)						
ROCK ISLAND COUNTY	016 16th Ave	o	0.14	0,10	0.14	0.13	0.13	
East Moline	915 16th Ave.	ľ	0.14	0.10	0.14	0.13	0.13	
70 METROPOLITAN ST. L	DUIS INTERSTATE (1LL MO	.)						
MADISON COUNTY			0.25	0.20	0.22	0.20	0.20	
Granite City Granite City Granite City	23rd & Madison 2001 E. 20th 15th & Madison	0 0 0	0.35 - 1.48	0.29 - 0.77	0.23 + 0.34	0.28 0.28 0.40	0.29 + 0.75	
Granite City Granite City	Roosevelt & Rock Rd. 20th & Adams	0	0.33 0.31	0.31 0.29	0.23 0.23	0.27 0.26	0.29 0.27	
Granite City Wood River	17th & Cleveland 54 N. Walcott	0	0.74 0.35	0.74 0.33	0.40 0.27	0.45 0.32	0.58 0.32	
ST. CLAIR COUNTY	·							
East St. Louis	13th & Tudor	0	0.49	0.41	0.40	0.44	0.44	
73 ROCKFORD-JAMESVILL	- wis.)							
WINNEBAGO COUNTY								
Rockford	204 S. 1st St.	0	٠	0.13	0.14	0.17	٠	
74 SOUTHEAST ILLINOIS								
JACKSON COUNTY								
Carbondale	300 N. Springer	0	0.11	0.09	0.10	0.08	0.09	
75 WEST CENTRAL ILLINOIS INTRASTATE								
MACON COUNTY								
Decatur	2300 Geddes	0	0.20	0.18	0.15	0.15	0.17	
MACOUPIN COUNTY								
Nilwood	IEPA Trailer	0	0.06	0.07	0.05	0.02	0.05	
PH:bv/sp/0851E/1-2							l	

1984 TOTAL SUSPENDED PARTICULATES

(MICROGRAMS PER CUBIC METER)

STATION	ADDRESS	NUMBER OF SAMPLES			HIGHEST				ANNUAL STATISTICS		
STATION	ADDRESS	TOTAL	UG/M3	> 260 UG/ M ³	lst	2 nd	3rd	4th	MEAN	STD. GEO DEVIATION	
Chicago	3300 E. Cheltenham Pl. 6631 N. Bosworth Ave.	58 57	0	0	122 109	110 93	109 86	106 79	47 39	1.9 1.6	
Chicago . Chicago	3500 E. 114th St.	54	10	ŏ	240	233	216	203	85	1.7	
Chicago Heights	Dixie Hwy & 10th St.	52	0	0	123	111	99	87	*	1	
Cicero	15th St. & 50th Ave. 180 E. Thacker	59 46	0	0	146 106	139 103	137 91	124 86	69 +	1.5	
DesPlaines DesPlaines	2nd Ave. & Thacker	9	Ö	ŏ	80	64	62	45	+		
Evanston	1454 Elmwood	59]	0		126	101	95	47	1.6	
Flossmoor Harvey	999 Kedzie Ave. 157th & Lexington St.	59 56	0	0	115 135	108 127	98 123	92 118	46 56	1.5	
Lemont	206 Main St.	56	i	Ŏ		138	129	127	68	1.5	
Lyons	4043 Joliet Ave.	53	2	0		178	134	129	65].	
McCook	50th & Glencoe 1500 Maybrook Dr.	52 51	7 0	0	398 135	218 128	218 122	165 119	71 58	1.0	
Maywood Miles	8955 Greenwood Ave.	57	ŏ	ŏ	142	122	105	105	49	1.	
Palatine	1000 Quentin Rd.	52	0	0	111	95	90	78	41		
River Forest	Lathrop & Oak St. 60th St. & 74th Ave.	58 59	0 1	0	122 179	112 129	104 128	95 127	49 64	1.6 1.6	
Summit Winnetka	1112 Willow Rd.	51	ò	ŏ	108	87	81	79		1 '."	
		ł							l		
DU PAGE COUNTY	130 W. Army Trail Rd.	51	0	۰	108	94	93	86	47	1.5	
Bensenville	Main St. & York Rd.	46 `	ŏ	ŏ	144	121	115	108	74	1 '	
Darien	1410 75th St.	53	0	0	112	101	92	75	45	1.5	
Elmhurst Naperville	118 Schiller 175 Jackson St.	53 50	0	0	112 142	104 130	101	83 113	47 50	1.5	
West Chicago	128 W. McConnell Ave.	56	ŏ	ŏ	137	រែរំរំ	95	85	44	1.0	
Wheaton	201 Reber St.	55	0	0	110	107	99	96	44	1.5	
GRUNDY COUNTY											
Morris	111 E. Washington	59	0	0	145	133	108	102	41	1,	
KANE COUNTY		1		Ì							
Aurora	770 N. Michels	60	0	0	113	99	97	81	40	1.0	
Elgin	150 Dexter Ct.	52	0	0	93	92	91	80	42	1.5	
KANKAKEE COUNTY				i							
Puley	610 E. Liberty	53	0	0	141	124	105	93	49	1.3	
LIKE COUNTY										Ì	
ene Sluff	121 E. Sheridan Pl.	53	0	0	123	85	76	72	34	1.7	
bea e jan	Golf & Jackson	55	0	0	118	106	94	93	42	1.6	
HE HENRY COUNTY									1	1	
لعج	1st St. & Three Oaks Rd.	57	0	υ	108	86	86	79	37	1.6	
AILT CORNTA		1									
Fe: acod		1							3.5	1	
ું અંે; ₍ ક્ષુ	Rte. 113 & School St. Midland & Campbell Sts.	5 52 54	0 3	1	127 356	113 5 257	99 171	98 106	39 53	1.9	
eciet rectory	1425 N. Broadway	53	0	ò	129	125	105	102	44	1.5	
I was	5th & Madison	56	0	§ 0	125	£ 117	1114	93	44	1.0	
B BYLCATA	432 E. Main Midland & Otis	49 53	0	0	132	117	1114 193	109	42 53	1.7	
oville	Naperville Rd.	46	Ŏ	ŏ	106	91	68	85	+	•	
	i	1		8		Ř		Í	•	•	
	1	r_0		1	9	E	2		1		
		■ 1: _ Q	J	•	e e		F-	5	•		